

GSX-R400RL



パールスティールホワイト／パーセックブルー(3SH)



ブレードシルバー(0UL)



パールノベルティブラック／グレーメタリック(D26)

車体色は印刷のため実物と異なる場合があります。

GSX-R400RM



パールスティールホワイト／ヨーロピアンブルー(3SL)



スペースブラック／イタリアンレッド(8RY)



パールブラック(08E)

GSX-R400RN



パールスティールホワイト／ピュアレッド(N67)



ブレードシルバー(0UL)

車体色は印刷のため実物と異なる場合があります。

Spec sheet

SUZUKI GSXR400RL-S and SP

GK76A-100001~

Overall Length:

1995mm

Weight:

188kg

Power:

59ps@12,500rpm

Engine Capacity:

398cc

Bore & Stroke:

56.0x40.4mm

Valve clearances:

0.13~0.23mm Inlet

Valve clearances:

0.20~0.30mm Exhaust

Gearbox oil capacity:

2900cc approx Oil only

Gearbox oil capacity:

3200cc approx Oil and filter

Gearbox oil capacity:

On rebuild

Fork oil capacity:

390cc (sp385cc)

Fork oil air gap:

97mm (sp99mm)

Fork oil type:

5wt

Tyre size front:

120/60hr17

Tyre size rear:

160/60hr17

Tyre pressure front:

29psi

Tyre pressure rear:

32~36psi

Chain size:

525v108

Chain slack:

25~35mm

Battery type:

YTX9BS

Spark plug type:

CR8EK

Spark plug gap:

0.7~0.9mm

Headlight bulb:

60/55w 12v

Main jet:

100#

Pilot jet:

47.5#

Float height:

2-4mm

Mixture screw:

1.5 Turns out

Fuel tank capacity:

16 litre

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25



FIG.1




FIG. 1 (B-2) シリンダヘッドカバー

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11171-32C00	カバー, シリンダヘッド	1		1.7
2	11173-30B02	カスケツト, シリンダヘッドカバー	1		W1.7
3	09206-08001	ピン, 8X11	2		
4	09106-07016	ホルト, L:37	1		
5	09106-07015	ホルト, L:6.5	5		
6	09161-11008	ワッシャ	6		
7	11177-33C00	カバー, フリーサ, ロア	1		1.7
8	09280-19005	リング, D:2.4, ID:19	2		1.7
9	02112-05106	スクリュー	1		
10	02112-05206	スクリュー	1		
11	02112-05306	スクリュー	1		
12	11180-33C00	カバー, フリーサ, アツパ	1		0.8
13	11179-33C00	カスケツト, フリーサカバー	1		W0.8
14	01517-06207	ホルト	3		
15	01517-06358	ホルト	1		
16	11400-33890	カスケツトセット(ASB)	1	OPT	

FIG.2




FIG. 2 (B-3) シリンダ ヘッド

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11100-33C01	ヘッドアッシ, シリンダ	1		7.0
2	11115-05C70	・カイト, ハルフ	16		4.6 A<0.2
3	11181-32C03	・ユニオン, ウォータホース	2		
4	09103-06013	・ホルト, 6X45	4		
5	09103-06026	・ホルト, 6X39	16		
6	09206-08001	・ピン, 8X11	12		
7	11141-32C01	カスケツト, シリンダヘッド	1		W4.1
8	04211-11189	ノックピン	4		
9	01517-06254	ホルト	1		
10	08313-21087	ナット	12		
11	12961-30B01	ハーフ, オイルシリンダヘッド, レフト	1		1.7
12	12961-33C10	ハーフ, オイルシリンダヘッド, ライト	1		1.7
13	08322-21066	ワッシャ	4		
14-1	#09482-00412	スパークプラグ, CR8EK (NGK)	4		WO.4DAI
14-2	#09482-00413	スパークプラグ, U24ETR (ND)	4		
14-3	#09482-00414	スパークプラグ, CR7EK (NGK)	4	OPT	
14-4	#09482-00410	スパークプラグ, CR9EK (NGK)	4	OPT	
14-5	#09482-00415	スパークプラグ, U22ETR (ND)	4	OPT	
14-6	#09482-00411	スパークプラグ, U27ETR (ND)	4	OPT	
15	13101-33C00	ハーフ, インテーク	3	LH, ML, RH ~13110-33C00	1.1 A<0.1
16	13102-33C00	ハーフ, インテーク, NO.2	1	MR ~13120-33C00	1.1 A<0.1
17	02112-36165	スクリュー	8		
18	09280-36002	リング	4		
19	09402-52208	クランプ	4		
20	09352-50903-300	ホース, 5X9X300	1	L: 300-180	

FIG.3





FIG. 3 (B-4) シリンダ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11210-33C00	シリンダ	1		5.5
2	09108-08202	スタットホルト, L:120	12		
3	11241-32C00	カスケット, シリンダ	1		WS.5
4	04211-11169	ノックピン	2		
5	11281-32C01	ホース, クランクケースオイル, ライト	1		1.3
6	11282-32C01	ホース, クランクケースオイル, レフト	1		1.3
7	11284-32C00	ホルト, オイルパ이프ユニオン, NO.1	2		
8	09168-08026	カスケット	4		
9	11285-32C00	ホルト, オイルパ이프ユニオン, NO.2	1		
10	09161-10009	ワッシャー, 10X15X1.5	3		

FIG.4



GSX-R400RN

FIG. 4 (B-5) クランクケース

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11300-33871	クランクケースセット	1		8.9
2	09206-11005	・ヒール, 11X20	2		
3	09206-13004	・ヒール, 13X22	2		
4	09103-08179	・ホルト, 8X105	2		
5	07110-08908	・ホルト	2		
6	01517-06354	・ホルト	12		
7	01517-06555	・ホルト	2		
8	01517-06655	・ホルト	2		
9	01517-08908	・ホルト	6		
10	01517-08555	・ホルト	1		
11	09103-08105	・ホルト, 8X95	2		
12	09168-06018	・カスケツト, 6.2X13X1.2	4		
13	09280-04004	・ロリク, D:1.2, ID:4	6		
14	09280-13004	・ロリク, D:1.9, ID:13	1		
15	09493-80005	・シエツト, ハイロツトエア, 80	2		
16	09493-80007	・シエツト, オイル	4		
17	11319-34200	・フレート, オイルキャラリアラック	1		
18	02122-06167	・スクリム	1		
19	09103-10115	ホルト, 10X155	1		
20	09103-10167	ホルト, 10X165	1		
21	01517-10555	ホルト	1		
22	01517-10955	ホルト	1		
23	09319-10042	フツシム	2		
24	09159-10044	ナツト	4		
25	09160-10111	ワツシヤ, 10.5X22X2.3	4		
26	01987-10355	ホルト	2		
27	11613-33C00	ナツト, エンジンマウントロア	2		

FIG.5






FIG. 5 (B-6) クランクケース カバー

見出し番号	品番	品名	使用部数	備考	標準作業時間
1	11340-33C00	カバー、クラッチ	1		0.7
2	11482-32C10	カスケツト、クラッチカバー	1		W0.7
3	04211-09189	ノックピオン	2		
4	07110-06255	ホルト	9		
5	07110-06355	ホルト	2		
6	11971-20A00	フランク、オイルフィラ	1		
7	09280-17003	ロリク、D:3.1, ID:16.8	1		
8	09259-36009	フランク	1		0.2
9	09280-33004	ロリク、D:3.1, ID:32.7	1		
10	11351-32C01	カバー、スタータキヤ	1		0.9
11	11483-30B10	カスケツト、スタータキヤカバー	1		W0.7
12	09206-11005	ピオン、11X20	1		
13	07110-06255	ホルト	6		
14	07110-06355	ホルト	2		
15	11361-33C00	カバー、エンシンスフロケツト	1		0.5
16	04211-09129	ノックピオン、H:12	1		
17	07110-06355	ホルト	1		
18	07110-06605	ホルト	1		
19	07110-06805	ホルト	1		
20	07110-06855	ホルト	1		
21	09250-30003	キャツフ	1		0.2

FIG.6




FIG. 6 (B-7) オイルポン/オイルポンフ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11511-33C00	ポン、オイル	1		1.6
2	11489-33C00	カスケツト、オイルポン	1		W1.6
3	01517-06307	ホルト	8		
4	01517-06408	ホルト	4		
5	09280-16008	Oリング、D:3.2, ID:15.8	1		
6	16529-30B00	カスケツト、オイルアウトレット	1		
7	09247-14001	フラク	1		
8	09168-14004	カスケツト、14X19.2X2	1		
9	11531-07D00	フラク、フレッツヤスイッチ	1		
10	09168-14004	カスケツト、14X19.2X2	1		
11	16400-30B00	ポンフアツシ、エンシオンオイル	1		1.2
12	01517-06307	ホルト	3		
13	16331-30B00	キヤ、オイルポンフトリフン	1		1.0
14	08221-12205	シム	1		
15	09261-05006	ピン	1		
16	08331-31126	サークリツフ	1		
17	16520-33C00	ストレナ、エンシオンオイル	1		1.6
18	16440-27A01	ハルファアツシ、オイルリリーフ	1		1.6
19	09168-16002	カスケツト、16X22X2	1		
20	09280-16008	Oリング、D:3.2, ID:15.8	1		1.6
21	09128-06039	スクリュ	2		
22	#37820-33200	スイッチアツシ、オイルフレッツヤ (ND)	1		0.4
23	09404-06422	クランフ、L:50	2		

FIG.7




FIG. 7 (B-9) クランクシャフト

見出番号	品番	品名	使用個数	備考	標準作業時間
10-1	12111-33C02-0F0	ピストン	4		5.7
10-2	12111-33C02-040	ピストン, DS0.4	4	OPT	A(0.2)
10-3	12111-33C02-100	ピストン, DS1.0	4	OPT	
11-1	12140-32C10	リンク*セット, ピストン	4		5.7
11-2	12140-32C10-040	リンク*セット, ピストン, DS:0.4	4	OPT	A(0.2)
11-3	12140-32C10-100	リンク*セット, ピストン, DS:1.0	4	OPT	
12	12151-32C00	ピン, ピストン	4		5.7DAI
13	09381-16001	スナップリング*	8		

FIG. 7




FIG. 7 (B-8) クランクシャフト

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12160-32C03	ロッド・アッシ, コネクチング	4		8.8DAI
2	04221-03059	・ピ・ン	8		
3	12163-32C00	・ホ・ルト, コネクチング・ロッド	8		
4-1	12164-04A01-0A0	・ヘ・アリング, クランクピ・ン(ク・リ・ン)	8		8.8DAI
4-2	12164-04A01-0B0	・ヘ・アリング, クランクピ・ン(フ・ラ・ツク)	8		
4-3	12164-04A01-0C0	・ヘ・アリング, クランクピ・ン(フ・ラ・ウ・ン)	8		
4-4	12164-04A01-0D0	・ヘ・アリング, クランクピ・ン(イエロ・)	8		
5	12000-33810	クランクシャフトセット	1		8.8
6	12228-43414	・ヘ・アリング, スラスト(ク・リ・ン)	1	RH	8.8
7-1	12228-43411	・ヘ・アリング, スラスト(レ・ット)	1	LH	8.8
7-2	12228-43412	・ヘ・アリング, スラスト(フ・ラ・ツク)	1		
7-3	12228-43413	・ヘ・アリング, スラスト(フ・ル・)	1		
7-4	12228-43414	・ヘ・アリング, スラスト(ク・リ・ン)	1		
7-5	12228-43415	・ヘ・アリング, スラスト(イエロ・)	1		
7-6	12228-43416	・ヘ・アリング, スラスト(ホ・ワイ・ト)	1		
8-1	12229-30B10-0A0	・ヘ・アリング, クランクシャフト(ク・リ・ン)	6	UPPER	8.8DAI
8-2	12229-30B10-0B0	・ヘ・アリング, クランクシャフト(フ・ラ・ツク)	6		
8-3	12229-30B10-0C0	・ヘ・アリング, クランクシャフト(フ・ラ・ウ・ン)	6		
8-4	12229-30B10-0D0	・ヘ・アリング, クランクシャフト(イエロ・)	6		
9-1	12229-33C00-0A0	・ヘ・アリング, クランクシャフト(ク・リ・ン)	6	LOWER	8.8DAI
9-2	12229-33C00-0B0	・ヘ・アリング, クランクシャフト(フ・ラ・ツク)	6		
9-3	12229-33C00-0C0	・ヘ・アリング, クランクシャフト(フ・ラ・ウ・ン)	6		
9-4	12229-33C00-0D0	・ヘ・アリング, クランクシャフト(イエロ・)	6		

FIG. 8




FIG. 8 (B-10) スタータ クラッチ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12611-38400	キヤ, スタータイトル, NT:14/45	1		0.7
2	09206-13007	ピン	1		
3	12600-33830	クラッチセット, スタータ	1		0.9
4	09261-15001	ローラ	3		
5	09440-04015	スプリング	3		
6	12633-31000	ピン, フォッセル	3		
7	01107-12258	ボルト	1		
8	09160-12036	ワッシャ, 12X30X3	1		
9	09421-03006	キー	1		

FIG. 9




FIG. 9 (B-11) カム シャフト/ハーフ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12711-33C00	カムシャフト, インターク	1		3.1 B(3.4)
2	12721-33C00	カムシャフト, エキゾースト	1		3.1 B(3.4)
3	12741-32C00	スプロケツト, カムシャフト	2		3.1 B(3.4)
4	09103-07003	ボルト	4		4.7 A(0.1)
5	12841-33C02	アーム, ハーフ ロツカ	16	-12841-33C01	4.2 A(0.1)
6	12861-33C00	シャフト, ハーフ ロツカアーム	4		4.2 A(0.1)
7	08212-12183	ワッシャ	8		4.2 A(0.1)
8	09440-14019	スプリング	8		
9-1	12862-04A00	フック, ロツカシャフト	4	TYPE L/M	
9-2	09247-14032	フック	4	TYPE N	
10	09168-14004	カスケツト, 14X19.2X2	4		
11	09139-06043	スクリュ, 6X16	4		
12	12911-33C00	ハーフ, インターク	8		4.6 A(0.2)
13	12912-33C00	ハーフ, エキゾースト	8		4.6 A(0.2)
14	12921-33C00	スプリング, ハーフ	16		
15	12931-33C01	リテーナ, ハーフ スプリング	16		
16	12933-33C00	シート, ハーフ スプリング	16		
17	12932-05C00	コッタ, ハーフ	32		
18	09289-04001	オイルシール	16		4.6 A(0.2)
19-1	12892-05C00-200	シム, タペット, T:2.00	16		3.5DAI
19-2	12892-05C00-205	シム, タペット, T:2.05	16		
19-3	12892-05C00-210	シム, タペット, T:2.10	16		
19-4	12892-05C00-215	シム, タペット, T:2.15	16		3.5DAI
19-5	12892-05C00-220	シム, タペット, T:2.20	16		

FIG. 9




FIG. 9 (B-12) カム シャフト/ハーフ

見出番号	品番	品名	使用個数	備考	標準作業時間
19-6	12892-05C00-225	シム, ダハ°ツト, T:2.25	16		
19-7	12892-05C00-230	シム, ダハ°ツト, T:2.30	16		
19-8	12892-05C00-235	シム, ダハ°ツト, T:2.35	16		
19-9	12892-05C00-240	シム, ダハ°ツト, T:2.40	16		
19-10	12892-05C00-245	シム, ダハ°ツト, T:2.45	16		
19-11	12892-05C00-250	シム, ダハ°ツト, T:2.50	16		
19-12	12892-05C00-255	シム, ダハ°ツト, T:2.55	16		
19-13	12892-05C00-260	シム, ダハ°ツト, T:2.60	16		
19-14	12892-05C00-265	シム, ダハ°ツト, T:2.65	16		
19-15	12892-05C00-270	シム, ダハ°ツト, T:2.70	16		
19-16	12892-05C00-275	シム, ダハ°ツト, T:2.75	16		
19-17	12892-05C00-280	シム, ダハ°ツト, T:2.80	16		
19-18	12892-05C00-285	シム, ダハ°ツト, T:2.85	16		
19-19	12892-05C00-290	シム, ダハ°ツト, T:2.90	16		
19-20	12892-05C00-295	シム, ダハ°ツト, T:2.95	16		
19-21	12892-05C00-300	シム, ダハ°ツト, T:3.00	16		

3.5DAI

FIG. 10





FIG. 10 (B-13) カム チェーン

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12760-32C01	チェーン, カムシャフト"ライフ"	1		8.8
2	12771-32C00	カ"イト", カムチェーン, NO.1	1		2.4
3	12782-33400	カ"イト", カムチェーン, NO.2	1		1.7
4	12810-32C01	テンション, カムチェーン	1		8.8
5	12814-33C00	クツション, カムチェーンテンション	2		8.8DAI
6-1	12830-33C00	アシ"ヤスタアツシ, テンション	1	TYPE L/M	1.0
6-2	12830-33C10	アシ"ヤスタアツシ, テンション (NA)	1	TYPE N	
7	12838-38200-H17	・カ"スケツト, アシ"ヤスタキヤツフ" (NA)	1		
8	12839-38200	フ"ラク", アシ"ヤスタ	1		
9	12837-24A10	カ"スケツト, テンシヨナアシ"ヤスタ (NA)	1	+12837-24A00	W1.0
10	07110-06255	ボ"ルト	2		

FIG. 11




GSX-R400RN

FIG. 11 (C-2)

キヤフ・レタ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	13201-33C00	キヤフ・レタアツシ, レフト	1		1.5DAI
2	13202-33C00	キヤフ・レタアツシ, ミッドル, レフト	1		1.5DAI
3	13203-33C00	キヤフ・レタアツシ, ミッドル, ライト	1		1.5DAI
4	13204-33C00	キヤフ・レタアツシ, ライト	1		1.5DAI
5	13550-33C20	・シャフト, スロットル	1	RH	
6	08321-31086	・ロックワッシャ	3	LH, ML, MR	
7	13553-06C00	・レバー, スロットル	1	MR	
8	13557-47070	・カスケット	4		
9	13573-33C10	・スフ・リンク	1	MR	
10	13573-33C00	・スフ・リンク	1	ML	
11	13553-33C00	・レバー, スロットル	1	ML	
12	13550-33C10	・シャフト, スロットル	1	LH	
13	13602-34390	・スクリス	8		
14	08310-22086	・ナット	3	LH, ML, MR	
15	13550-33C40	・シャフト, スロットル	1	MR	
16	13550-33C30	・シャフト, スロットル	1	ML	
17	13502-33C00	・カバー, タイヤフラム	4		
18	13507-17C00	・タイヤフラム	4		1.3 A(0.2)
19	13501-33C00	・バルブ, ヒーストン	4		1.3 A(0.2)
20	13417-07D00	・スフ・リンク	4		
21	13382-42A00	・リンク	4		
22	13394-10010	・クリップ, ニートル	4		
23	13387-47010	・リンク	4		
24	13557-49200	・カスケット	1	ML	

FIG. 11




GSX-R400RN

FIG. 11 (C-3) キャブ・レタ

見出番号	品番	品名	使用個数	備考	標準作業時間
25	13550-33C00	・レハター, スロットル	1	LH	
26	13383-33C00	・ニートル, シ"エツト	4	5DJ05	1.3 A<0.2)
27	13251-33C00	・Oリング"	4		
28	09494-00704	・シ"エツト, ニートル, O-5	4		1.3 A<0.2)
29	13331-06C10	・リング"	4		
30	13602-06C20	・スクリュ	4		
31	13294-33C00	・Oリング"	4		
32	13417-09110	・スフ"リング"	4		
33	13604-42A00	・スクリュ	8		
34	13551-01D00	・ハ"ルフ", スロットル, 120	4		
35	13220-33C00	・ホルタ", シ"エツト	4		
36	09491-20022	・シ"エツト, メイン<100>	4		1.8DAI
37	13385-33C00	・リング"	4		1.8DAI
38	13418-17C10	・ホルタ", カ"イト"	4		
39	13418-17C00	・キャツフ", スタター	4		
40	13411-05320	・フ"ランシ"ヤアツシ	4		
41	13250-33C00	・フロート/ニートルハ"ルフ"アツシ	4		1.8DAI
42	09492-15013	・シ"エツト, ハ"イロツト, 15	4		1.8DAI
43	09491-47001	・シ"エツト, スタター, 47.5	4		1.8DAI
44	13258-33C00	・シール	4		
45	13295-29900	・Oリング"	4		
46	13291-29900	・ワツシヤ	4		
47	13268-47070	・スフ"リング"	4		
48	13279-47070	・スクリュ, ハ"イロツト	4		

FIG. 11




GSX-R400RN

FIG. 11 (C-4) キャブ・レタ

見出番号	品番	品名	使用個数	備考	標準 作業時間
49	13427-38300	・ワッシャ	1	MR	
50	13267-28A00	・アシヤスタ	1	MR	
51	13271-33C00	・スプリング	1	MR	
52	13602-05A10	・スクリーン	4		
53	13508-17C00	・キャップ	4		
54	13671-33600	・クリップ	4		
55	13251-06C10	・ロッキング	4		
56	13651-51010	・シール	6	LH, RH: 1 ML, MR: 2	
57	13602-05168	・スクリーン	1	MR	
58	13627-33C00	・フック	1	MR	
59	13602-05128	・スクリーン	8		
60	13247-02340	・スクリーン, トレーン	4		
61	13374-44080	・ロッキング	4		
62	13574-33C00	・リンク	1	MR	
63	13621-33C00	・クリップ	1	LH	
64	13602-05088	・スクリーン	1	LH	

FIG. 11



GSX-R400RN

FIG. 11 (C-5)

キヤブレタ

見出番号	品番	品名	使用個数	備考	標準作業時間
65	13602-33C00	スクリム	2		
66	13331-33C00	リンク	2		
67	13439-17C00	ホルダ	2		
68	13413-33C00	レバー・スタータ	1		
69	08321-31066	ロックワッシャ	1		
70	08310-22066	ナット	1		
71	13573-06C10	スフリンク	2		
72	13413-06C10	シヨイント	1		
73	13624-33C00	ブラケットアツシ	1		
74	13684-20C10	ホース	2		
75	13683-33C00	ホース、7X10.2X500	2	LH L:500 RH L:500-400	
76	13685-33C00	ニツフル	2		
77	13612-33C00	ホルト	1		
78	13331-33C10	リンク	1		
79	13673-44B00	シール	4		
80	13606-00A10	ワッシャ	2		
81	08310-22056	ナット	1		
82	13267-44B00	スクリム	3		
83	13271-44B00	スフリンク	3		
84	13268-96110	スフリンク	3		
85	13685-44B00	ニツフル	2		
86	13671-33C00	クリップ	2		
87	08313-11057	ナット	1		
88	13509-33C00	ロリンク	4		

FIG.12




FIG. 12 (C-6) エア クリーナ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	13709-33C00	ケースアツシ, エアクリーナ	1		2.6
2	13854-33C00	・チューフ, フォーリーサ	1		
3	13870-11417	・チューフ, トレーン	1		
4	13824-43400	・クリツフ	1		
5	09401-14301	・クリツフ	1		
6	13824-00A00	・クリツフ	1		
7	13781-33C10	・フィルタ, セカントエア	1		
8	13853-33C10	・チューフ, セカントエアクリーナ, ライト	1		0.5
9	13854-33C10	・チューフ, セカントエアクリーナ, レフト	1		0.5
10	13824-48B10	・クリツフ	2		
11	13880-33C00	チューフ, アウトレット, レフト	1		
12	13890-33C00	チューフ, アウトレット, ライト	1		
13	13899-33C00	シャフト, アウトレットチューフ	2		
14-1	13780-33C00	フィルタアツシ, エア	1	TYPE L -13780-20C10	WO.8
14-2	13780-20C10	フィルタアツシ, エア	1	TYPE M/N	
15	02142-05164	スクリュ	4		
16	09402-58208	クランプ	4		
17	09404-10404	クランプ, L:102	1		
18	13760-33C00	ブラケット, エアクリーナケース	2		
19	02142-06166	スクリュ	2		
20	09125-06029	スクリュ, 6X18	2		
21	09180-06073	スワッシャー, 6.4X9X5	2		
22	09161-09003	ワッシャ	2		
23	13897-17C00	クッション, エアベントホース, NO.1	1	TYPE L	

FIG. 13




FIG. 13 (C-7) マフラ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	14100-33C00	ハーフアツシ,エキゾースト	1		1.3
2	14181-10D00	カスケツト,エキゾーストハーフ(ASB)	4		W1.3
3	09106-08032	ホルト	8		
4	01517-06105	ホルト	4		
5	14771-48B01	コネクタ,マフラ	1		
6	14469-32C00	クランプ,マフラコネクタ,レフト	1		
7	01517-08355	ホルト	1		
8	14305-33C01	マフラ	1		0.4
9	14770-32C01	フラスケット,エキゾーストサポート	1		
10	01517-06125	ホルト	2		
11	01517-08405	ホルト	1		
12	09160-08057	ワッシャ,8.5X29X1.6	1		
13	09180-08151	スヘーサ	1		
14	09320-12043	クツシヨソ	1		
15	07120-08407	ホルト	1		
16	09160-08106	ワッシャ,8.1X33X1.6	1		
17	09180-08156	スヘーサ,8.6X12X25.5	1		
18	09320-12049	クツシヨソ	1		
19	08316-26085	ナツト	1		
20	09250-06008	キャツフ	1		



2



FIG. 14 (C-8)

標準
作業時間

FIG. 15




FIG. 15 (C-9)

ウォーターポンプ

見出し番号	品番	品名	使用個数	備考	標準作業時間
1	17400-33C00	ポンプアツシ、ウォーター	1		0.8
2	17491-16700	インペラ、ウォーターポンプ	1		0.8
3	09168-06025	カスケツト	1		
4	17470-46A00	シール、ウォーターポンプシャフトメカニカル	1		
5	17461-38A00	オイルシール	1		
6	17511-33C00	シャフト、ウォーターポンプ	1		
7	17451-38A00	ヘアリング	1		
8	17418-38400	ドリリング	1		
9	17435-33400	ドリリング	1		
10	08332-11086	エリク	1		
11	17415-14300	ホルト、トレーン	1		
12	09168-08008	カスケツト、8.2X14X1	1		
13	02112-06166	スクリ	2		
14	09100-06099	ホルト、6X13	1		
15	09164-06006	ロツクワツシャ	1		
16	17858-33C00	ホース、ウォーターポンプアウトレツト	1		0.8
17	09402-30502	クランプ	2		
18	02112-06457	スクリ	3		

FIG.16




FIG. 16 (C-10) ラシエータ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	#17710-33C01	ラシエータアツシ, ウォータ(ND)	1		1.1
2	07110-06255	ホルト	4		
3	09160-06063	ワッシャ, 6.5X22X1.6	4		
4	08316-16064	ナット	4		
5	09180-07004	スベータ, 6.5X10.5X12	4		
6	17787-19A00	クツシヨシ, ラシエータ	4		
7	17742-33C00	フックアツシ, ラシエータアツシ	1		
8	01177-06125	ホルト	2		
9	#17800-33C00	ファンアツシ, ラシエータ, レフト(ND)	1		0.5
10	#17800-33C10	ファンアツシ, ラシエータ, ライト(ND)	1		0.5
11	#17820-33C00	・ファンアツシ(ND)	2		
12	#17801-11D00	・ナット(ND)	2		
13-1	#17770-33C10	・シユラウトアツシ, ファン, ライト(ND)	1		
13-2	#17770-33C00	・シユラウトアツシ, ファン, レフト(ND)	1		
14	#17129-86000	・スクリュ(ND)	6		
15	01517-06105	ホルト	6		
16	17751-33C00	フックアツシ, ヒートカート, ライト	1		
17	17751-33C10	フックアツシ, ヒートカート, レフト	1		
18	17752-33C00	ラハータ, ヒートカート, ライト	1		
19	17752-33C10	ラハータ, ヒートカート, レフト	1		
20	09321-06011	クツシヨシ	1		
21	01517-06105	ホルト	2		

FIG.17




FIG. 17 (C-11) ラシエーターホース

見出番号	品番	品名	使用個数	備考	標準作業時間
1	#17730-14501	キャップ, ラシエーター, 1.1 (ND)	1		0.4
2	#17791-32C00	コンタクション, ラシエーター (ND)	1		1.4
3	01517-06167	ホルト	2		
4	17792-32C01	フランクット, コンタクション	1		
5	01517-06207	ホルト	2		
6	17793-33C00	フランクット, コンタクションフランクット	1		0.4
7	01517-06207	ホルト	2		
8	09159-06017	ナット	2		
9	09280-44005	Oリング, D: 2.4, ID: 43.2	1		
10	17662-33C00	コネクタ, サーモスタットインレット	1		1.4
11	17670-32C01	サーモスタット, ウォータ	1		1.4
12	01517-06207	ホルト	2		
13	17851-33C00	ホース, ラシエーターインレット	1		1.4
14	17852-33C00	ホース, ラシエーターアウトレット, NO. 1	1		0.8
15	17855-33C00	ホース, ラシエーターアウトレット, NO. 2	1		0.8
16	09402-30502	クランプ	6		
17	17853-33C00	ホース, ラシエータージョイント, NO. 1	1		1.4
18	17854-33C00	ホース, ラシエータージョイント, NO. 2	1		1.4
19	09402-25502	クランプ	2		
20	09401-21402	クリップ	2		
21	17856-33C00	パイプ, ラシエーターアウトレット	1		0.8
22	09360-06015	ユニオン	1		
23	09168-06026	カスケツト, 6.4X11.5X0.8	1		
24	#34850-82011	ゲーシアツシ, ウォータテンパイプ (ND)	1		0.4
25	17680-45C00	スイッチ, ラシエーターファン	1		0.4
26	17864-33C00	クツシヨシ, ウォータホース	1		

FIG. 17




FIG. 17 (C-12) ラシエーターホース

見出番号	品番	品名	使用個数	備考	標準作業時間
27	17910-33C00	タンクアツシ, リザーバ	1		0.3
28	17932-12C00	・キャップ, リザーバタンク	1		
29	09136-06022	スクリュー, 6X20	2		
30	17981-33C00	ホース, リザーバタンクインレット	1		
31	09404-06403	クランプ, L: 70	2		
32	09409-07305	クリップ	2		
33	09401-08407	クリップ	2		
34	09352-50901-00B	ホース, 5X9X2000	1	L: 2000+1210	

FIG. 18




FIG. 18 (D-2) クラッチ

見出番号	品番	品名	使用個数	備考	標準 作業時間
1	21200-33840	キヤアツシ, フロアライミット"リフ", NT: 80/29	1		1.0
2	09263-37001	ヘアリング", 37X42X27	1		1.0
3	09160-22045	ワツシヤ, 22X50X2.5	1		
4	09160-22032	スヘ-サ, 22X32X3	1		
5	21410-33C01	ハフ", クラツチスリフ	1		1.0
6	09140-20006	ナツト	1		
7	09167-20006	ロツクワツシヤ	1		
8	09160-20051	ワツシヤ, 20X50X2	1		
9	21441-33C51	フロート, クラツチ"ライフ"	7		W0.9
10	21451-19A00	フロート, クラツチ"リフ"	8		0.9
11	21442-33C50	フロート, クラツチ"ライフ" NO. 2	1		
12	21471-32C00	シート, ウエ-フ"ワツシヤ	1		
13	09164-94002	ウエ-フ"ワツシヤ, 94.4X100X0.6	1		
14	21462-32C50	チ"イスク, クラツチ"レツシヤ	1		0.9
15	09440-15021	スフ"リング"	5		
16	09116-05015	ホ-ルト	5		
17	09180-05041	スヘ-サ, 5.5X9.5X21	5		
18-1	23121-11401	ヒ-ース, クラツチフ"ツシ1	1	TYPE L	0.9
18-2	23121-04A00	ヒ-ース, クラツチフ"ツシ1	1	TYPE M/N	
19	09263-10002	ヘ"アリング", 10X22X2.8	1		0.9
20	23110-32C50	ロツト", クラツチフ"ツシ1	1		0.9
21	23111-15501	ロツト", クラツチフ"ツシ1, レフト	1		0.4
22	09285-06018	オイルシ-ル, 6X34X7.5	1		0.7

FIG.18




FIG. 18 (D-3) クラッチ

見出番号	品番	品名	使用個数	備考	標準作業時間
23	23200-32C00	スクリエアツシ, クラッチリリース	1		0.5
24	09134-06010	・スクリ2	1		
25	08310-22067	・ナット	1		
26	02112-06128	スクリ2	2		
27	09443-09044	スフ°リンク	1		
28	23117-33C01	リチーナ, フ°ツシロツト°オイルシール	1		0.5
29	01107-06127	ホ°ルト	1		

FIG. 19




FIG. 19 (D-4)

トランスミッション

見出番号	品番	品名	使用個数	備考	標準作業時間
1	24120-33C00	シャフト, カウンタ	1		6.9
2	24121-33C00	・シャフト, カウンタ, NT:11	1		6.9
3	24221-33C00	・キヤ, セカント"ドライブ", NT:14	1		6.9
4	24231-33C01	・キヤ, サート"フオー"ドライブ", NT:15/18	1		6.9
5	24251-33C00	・キヤ, ファイフ"ドライブ", NT:22	1		6.9
6	09301-22003	・フ"ツシ	1		
7	09380-22006	・サークリップ	1		
8	24261-33C00	・キヤ, シックス"ドライブ", NT:21	1		6.9
9	24262-33C00	・フ"ツシ, シックス"ドライブ"キヤ	1		
10	08211-25341	・スラストワッシャ	1		
11	09285-17003	オイルシール	1		6.9
12	09267-25010	ハ"アリンク", 25X52X20.6	1	RH	6.9
13	09263-17044	ハ"アリンク", 17X34X16	1	LH	6.9
14	09390-58001	Cリンク	1		
15	04221-07129	ノックピン	1		
16	24131-33C00	シャフト, ト"ドライブ	1		6.9
17	24310-33C00	キヤ, ファースト"リフ", NT:37	1		6.9
18	08211-20321	スラストワッシャ	1		
19	24321-33C00	キヤ, セカント"リフ", NT:33	1		6.9
20	09301-25002	フ"ツシ	1		
21	24331-33C00	キヤ, サート"リフ", NT:28	1		6.9
22	24332-30B00	スハ"ーサ, サート"リフ"キヤ	1		
23	09167-25022	ワッシャ	2		
24-1	24341-33C00	キヤ, フオー"リフ", NT:29	1	TYPE L	6.9
24-2	24341-33C01	キヤ, フオー"リフ", NT:29	1	TYPE M/N	
25	09380-25003	スナッフ"リンク	3		

FIG. 19




FIG. 19 (D-5)

トランスミッション

見出番号	品番	品名	使用個数	備考	標準作業時間
26	24351-33C00	ギヤ, ファイスト"リフ"ン, NT: 32	1		6.9
27	24361-33C00	ギヤ, シツクススト"リフ"ン, NT: 27	1		6.9
28	09262-22017	ハ"アリンク", 22X56X16	1		6.9
29	09263-20040	ハ"アリンク", 20X34X20	1		6.9
30	04221-07129	ノックピン	1		
31	09283-30044	オイルシール, 30X56X6	1		0.7
32	09390-56001	クリンク	1		
33	27510-32C00	スフ"ロケツト, エンシ"ン, NT: 14	1		W0.5
34	09180-22046	スヘ"サ, 22X30X25.4	1		
35	08211-22301	スラストワッシャ	1		
36	08331-31226	サークリップ	1		
37	27600-20A21-108	チェーン, ト"ライフ", 525SM0X108LE	1		W1.7

FIG. 20




FIG. 20 (D-6)

キヤ シフティング

見出番号	品番	品名	使用個数	備考	標準作業時間
1	25211-33C00	フォーク, キヤシフト, NO. 1	1		6.9
2	25221-34C00	フォーク, キヤシフト, NO. 2	1		6.9
3	25231-30B01	フォーク, キヤシフト, NO. 3	1		6.9
4	25411-05A01	シャフト, キヤシフトフォーク	1		6.9
5	25310-33C00	カム, キヤシフト	1		6.9
6	04221-04089	・ノックピン	1		
7	25313-33C00	リテーナ, キヤシフトカムハブアリンク	1		1.2
8	25327-33C00	ラチェットホイール, キヤシフトホール	1		1.2
9	09180-07014	ローラ, L:5	1		
10	09167-30007	ワッシャ	1		
11	25322-33C00	シフタ, キヤシフトカム	1		1.2
12	25312-12C00	ピン, シフトカムトリフンキヤ	1		
13	25323-34201	ホール, キヤシフト, NO. 1	1		1.2
14	25324-34201	ホール, キヤシフト, NO. 2	1		1.2
15	09261-05003	ローラ, 5X8	2		
16	09440-04003	スフリンク	2		
17	25331-33C00	リフタ, キヤシフトホール	1		1.2
18	25341-38401	カイト, キヤシフトカム	1		1.2
19	02122-06167	スクリエ	3		
20	09262-25002	ハブアリンク, 25X47X8	1		
21	25350-38400	ストツパ, キヤシフトカム	1		6.9
22	09443-09033	スフリンク	1		
23	25381-04700	プレート, キヤシフトカムストツパ	1		6.9
24	04221-04089	ノックピン	1		
25	08331-31256	サークリツパ	1		

FIG. 20




FIG. 20 (D-7)

キヤ シフティング

見出番号	品番	品名	使用個数	備考	標準作業時間
26	25510-33C00	シャフト, キヤシフト	1		1.5
27	09263-14027	ヘアリンク, 14X20X12	1		
28	08211-14221	スラストワッシャ	1		
29	09444-20001	スフリンク	1		
30	08331-31146	サークリップ	2		
31	25671-36A00	ストッパ, キヤシフトアーム	1		
32	25516-33C00	ストッパ, キヤシフトシャフト	1		
33	09283-14006	オイルシール, 13X22X6	1		0.4
34	25600-10D00	レバーアッシ, キヤシフト	1		0.2
35	25652-20C00	ラバー, キヤシフトヘタール	1		
36	09161-18003	ワッシャ, 18.2X27X1	1		
37	09160-18018	ワッシャ, 18X24X2	1		
38	25520-32C00	アーム, キヤシフトリンク	1		0.2
39	25525-33C00	ロット, キヤシフトリンク	1		0.2
40	08310-11067	ナット	1		
41	09140-06011	ナット	1		
42	01107-06207	ホルト	1		
43-1	37730-32C10	ヘースアッシ, キヤシフトターミナル	1	TYPE L	0.6
43-2	37730-33C10	ヘースアッシ, キヤシフトターミナル	1	TYPE M/N	
44	09280-26003	リング, D:2.4, ID:26.2	1		0.6
45	02112-05168	スクリス	2		
46	09209-05011	コンタクト	1		
47	09440-04010	スフリンク	1		

FIG. 21




FIG. 21 (E-2) スターティングモータ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	#31100-33C00	モータツシ, スターティング (ND)	1		1.0
2	#31310-11D00	・アマチア (ND)	1		1.2
3	#31175-32C10	・フレムアツシ, コミュータ, エント (ND)	1		
4	#31132-32C10	・フ・ラシ (ND)	2		W1.2
5	#31130-32C10	・フ・ラシサフ・アツシ (ND)	1		
6	#31133-32C10	・ホルタ・フ・ラシ (ND)	1		
7	#31134-32C10	・スクリ (ND)	2		
8	#31135-32C10	・スフリング (ND)	4		
9	#31281-32C10	・ホルト (ND)	2		
10	#31156-38300	・オリソク (ND)	2		
11	#31264-32C10	・オリソク (ND)	2		
12	#31361-38300	・シム, NO. 3 (ND)	1		
13	#31361-32C10	・フ・レート, ロツク (ND)	1		
14	#31150-06C00	・フ・ラサツ (ND)	1		
15	09103-06066	ホルト, 6X23	2		
16	09280-24003	オリソク, D:3, ID:24.5	1		1.0
17-1	02112-75087	スクリ	1	~F.NO.105203	
17-2	09137-05004	スクリ, 5X8	1	F.NO.105204~	

FIG. 22




FIG. 22 (E-3) シェネレータ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	31401-33C00	スタータ	1		
2	31402-33C00	ロータ	1		
3	31412-30B00	スハ-サ, シェネレータスタータ	1		
4	02112-06357	スクリユ	3		
5	09103-12004	ホルト, 12X40	1		
6	31497-30B00	クランプ°, シェネレータリ-トワイヤ	1		
7	02112-05087	スクリユ	1		
8	09404-06403	クランプ°, L:70	1		

FIG. 23





FIG. 23 (E-4) シックナル シェネレータ

見出し番号	品番	品名	使用個数	備考	標準作業時間
1-1	32900-33C10	イク`ナイトアツシ	1	TYPE L	0.2
1-2	32900-33C70	イク`ナイトアツシ、	1	TYPE M/N	
2	32980-24D00	クツシヨ、イク`ナイト	1		
3	33110-10D00	シ`エネレータアツシ、シク`ナル	1		1.0
4	33115-30B01	フ`ロチクタ、シク`ナルシ`エネレータリ ート`ワイヤ	1		
5	02112-04107	スクリュ	2		
6	31497-45000	クランフ`、シ`エネレータリート`ワイヤ	1		
7	02112-05087	スクリュ	1		

FIG. 24




FIG. 24 (E-5) ハッチリ

見出番号	品番	品名	使用数量	備考	標準 作業時間
1	*33610-32C71	ハッチリアッシ, YTX9-BS, 12V 8AH (YB)	1		W0.4
2	33651-37000	フロッタ	1	CUT 40X85	
3	33651-37000	フロッタ	2	CUT 30X50	
4	33652-29100	フロッタ, 20X90X3	2		
5	09462-00067	ハント	1		
6	33860-33C00	ワイヤ, ハッチリマイナスリット	1		
7	41540-33C00	ホルタ, ハッチリ	1		0.6
8	09116-06010	ホルト, 6X20	2		
9	09320-08030	クツシヨ	2		
10	09169-06057	ワツシヤ	2		
11	09169-06041	ワツシヤ	2	TYPE L/M	

FIG. 25




FIG. 25 (E-6)

エレクトリカル

見出番号	品番	品名	使用側数	備考	標準 作業時間
1	31800-49100	リレーアツシ, スターティングモータ	1		0.3
2-1	09128-06004	スクリュ, 6X10	2	TYPE L	
2-2	01107-06125	ホルト	2	TYPE M/N	
3	08316-26066	ナット	2		
4	08361-35066	ナット	2		
5	33850-33C00	ワイヤ, スタータモータリット	1		
6	31861-06C00	キャップ, スタータモータミナル	1		
7	32800-33C00	レクチファイヤアツシ	1		0.4
8	02152-06206	スクリュ	2		
9	33410-33C00	コイルアツシ, イクニツシヨシ, 1-4	1		1.4
10	33420-33C00	コイルアツシ, イクニツシヨシ, 2-3	1		1.4
11	01517-06358	ホルト	4		
12	09180-06110	スハ-サ, 6.8X10X16	2		
13	33510-20C02	キャップ, スハ-クフラク	4		0.4DAI
14	33541-33C00	シール, スハ-クフラクキャップ	4		
15	33542-38B00	シール, ハイテンションコ-ト	4		

FIG. 26




FIG. 26 (E-7)

スピードメータ / タコメータ

見出し番号	品番	品名	使用例数	備考	標準作業時間
1	#34110-33C00	スピードメータ<ND>	1		0.7
2	#34124-27A00	ノブ,トリップ<ND>	1		
3	#34210-33C00	タコメータ<ND>	1		0.7
4	#34131-20A00	ホックス,メータキヤ<ND>	1		0.5
5	02112-34105	スクリュ	2		
6	#34420-33C01	メータ,チンパ°レチャ<ND>	1		0.7
7	#34383-27A00	スクリュ<ND>	3		
8	#34950-33C00	フプレート,セツチンク<ND>	1		0.8
9	#34288-22D00	クツシヨシ,スピードメータ<ND>	1		
10	#34257-22D00	クツシヨシ<ND>	1		
11	#34111-22D00	フ°ラケツト,スピードメータ<ND>	1		0.5
12	#34189-27A00	クツシヨシ<ND>	5		
13	#34199-22D00	スクリュ<ND>	2		
14	#34181-22D00	ロツクワツシヤ<ND>	2		
15	#34181-27A00	ワツシヤ<ND>	4		
16	08310-21035	ナツト	2		
17	#34189-12C10	クツシヨシ<ND>	2		
18	#34185-14A00	ナツト<ND>	2		
19	#34299-22D00	スクリュ<ND>	2		
20	#34170-33C00	ソケツト<ND>	1		
21	#09471-12100	ハ°ルフ°,12V1.7W<STANLEY WB372>	1		
22	#09471-12085	ハ°ルフ°,12V3W<STANLEY WB371> <ND>	2		
23	#34414-16700	ク°ロメツト<ND>	1		
24	#34954-16730	クランフ°<ND>	1		

FIG. 26




FIG. 26 (E-8) スピードメータ / タコメータ

見出番号	品番	品名	使用個数	備考	標準作業時間
25	36687-33C00	ホルダ, カフ*ラ	1		
26	02142-04085	スクリム	2		
27	36380-33C00	ホックス アツシ, ハイロツランフ*	1		0.6
28	36394-33C00	ソケット	1		
29	*09471-12118	ハイルフ, 13.5V, 2W (TOSHIBA, A7427)	4		
30	36382-22D00	ホルダ, ハイロツホックス	1		
31	09132-03008	タツヒンク スクリム, L:16	2		
32	08322-21045	ワツシヤ	2		
33	09180-04017	スヘーサ, 4.5X6.5X9	2		
34	01517-06125	ホルト	4		
35	34910-33C00	ケーブルアツシ, スピードメータ	1		W0.2
36	34938-33C00	カイト, スピードメータケーブル, NO.1	1		
37	34938-33C10	カイト, スピードメータケーブル, NO.2	1		

FIG. 27





FIG. 27 (E-9) ヘッド ランプ*

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	35100-33C00	ヘッドランプ*アツシ	1	TYPE L	0.5
1-2	35100-33C01	ヘッドランプ*アツシ	1	TYPE M	
1-3	35100-33C02	ヘッドランプ*アツシ	1	TYPE N	
2	35121-33C00	*ユニットアツシ	1		
3	35173-33C00	*カバー, ソケット	2		
4	35250-33C00	*キヤユニットアツシ, アツパ*	2		
5	35250-33C10	*キヤユニットアツシ, ロア	2		
6	03511-04165	*スクリュ	8		
7-1	36118-33C00	*コート*アツシ	1	TYPE L	
7-2	36118-33C01	*ソケットアツシ	1	TYPE M/N	
8	#09471-12163	*ハルフ*, 12V55/50W	2		WO.2
9	#09471-12001	*ハルフ*, 12V, 3.4W<STAN LEY, A72A>	2		WO.2
10	02112-75165	スクリュ	3		
11	09320-09019	クツシヨシ	3		
12	09160-06092	ワツシヤ, 6.3X15X1.6	3		
13	08316-16064	ナツト	3		

3

FIG. 28



GSX-R400RN

FIG. 28 (E-10) ターン シグナル ランプ

見出番号	品番	品名	使用個数	備考	標準 作業時間
1-1	35601-33C00	ランプ・アツシ, フロントターンシグナル ・ライト	1		0.2 B(0.3)
1-2	35602-33C00	ランプ・アツシ, フロントターンシグナル ・レフト	1		0.2 B(0.3)
2	35652-06C00	・レンズ	2		W0.2 B(0.2)
3	35625-33C00	・スクリュ, タツヒンク	2		
4	*09471-12162	・ハルフ, 12V15W	2		W0.2 B(0.2)
5	35629-24D00	ワツシヤフロントターンシグナルランプ	2		
6-1	02112-75305	スクリュ	2	TYPE L	
6-2	09125-05066	スクリュ	2	TYPE M	
6-3	02142-05255	スクリュ	2	TYPE N	
7	09404-05404	クランプ	2		
8-1	35603-07D00	ランプ・アツシ, リヤターンシグナル, ラ イト	2		0.2 B(0.3)
8-2	35604-07D00	ランプ・アツシ, リヤターンシグナル, レ フト	2		0.2 B(0.3)
9	35652-06C00	・レンズ	2		W0.2 B(0.2)
10	35625-01A00	・スクリュ	2		
11	*09471-12162	・ハルフ, 12V15W	2		W0.2 B(0.2)
12	35695-07D00	スヘーサ, リヤターンシグナル	2		
13	35695-07D10	スヘーサ, リヤターンシグナル	2		
14	08322-21066	ワツシヤ	2		
15	08310-12066	ナツト	2		
16	#38610-10D00	リレーアツシ, ターンシグナル (ND)	1		0.2
17	38620-33C00	フ・ラケット, ターンシグナルリレー	1		
18-1	02142-06125	スクリュ	1	TYPE L/M	
18-2	02142-06126	スクリュ	1	TYPE N	
19	09308-07013	ク・ロメツト	2		

FIG.29





FIG. 29 (E-11) リヤ コンビネーション ランプ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	35710-22D00	ランプ アッシー, リヤコンビネーション	1		0.4
2	35740-22D00	・ランプ ユニット	1		
3	35718-22D00	・ソケットアッシー	1		
4	*09471-12083	・ハロゲン, 12V21/5W (STAN LEY, 49641A)	2		W0.2
5	09160-06056	ワッシャー, 6.5X18X1	3		
6	09320-08048	クワシヨン	3		
7	09180-06044	スワ－サ, 6.1X8X9.5	3		
8	08316-16064	ナット	3		
9	35970-00A21	リフレクタスリフレクタアッシー, リヤ	1		
10-1	08316-26055	ナット	1	TYPE L/M	
10-2	08310-11056	ナット	1	TYPE N	
11	35974-33C00	ブラケット, リヤリヤ	1		
12	02142-06125	スクリユ	2		
13	08321-21064	ロックワッシャー	2		
14-1	08316-26065	ナット	2	TYPE L/M	
14-2	08310-12066	ナット	2	TYPE N	

FIG. 30




GSX-R400RN

FIG. 30 (E-12) ワイヤリングハーネス

見出番号	品番	品名	使用個数	備考	標準作業時間
1	36610-33C10	ハーネス、ワイヤリング	1		2.0
2	36611-38A00	・タ・イオート	1		
3-1	09404-06402	クランプ°, L:60	2		
3-2	09404-06403	クランプ°, L:70	3		
3-3	09404-06404	クランプ°, L:80	2		
3-4	09404-06405	クランプ°, L:95	1		
4-1	09407-10403	クランプ°, L:95	3		
4-2	09407-10404	クランプ°, L:100	1		
4-3	09407-14401	クランプ°, L:140	1		
5-1	09407-14403	クランプ°, L:125	9		
5-2	09407-14407	クランプ°, L:145	1		
5-3	09407-18402	クランプ°, L:165	4		
6	09409-07305	クリップ°	1		
7	01517-06167	ホルト	2		
8	03541-05128	スクリュー	2		
9	36920-33C10	フ°ロテクタ	1		
10	36851-38B00	ワイヤ、オイルフ°レツシヤスイツチリート	1		
11	36851-02900	ワイヤ、リート°	1		
12	36744-33C00	フ°ラケット、フューズ°ホツクス	1		
13	02142-06106	スクリュー	2		
14	08316-16066	ナット	2		
15-1	02112-76165	スクリュー	2	TYPE L/M	
15-2	02112-76166	スクリュー	2	TYPE N	
16-1	08313-21064	ナット	2	TYPE L/M	
16-2	08313-21066	ナット	2	TYPE N	
17	36920-33C00	フ°ロテクタ、ハーネス	1		

FIG. 30



GSX-R400RN

FIG. 30 (E-13) ワイヤリングハーネス

見出番号	品番	品名	使用個数	備考	標準作業時間
18	36740-33C00	ホックスアツシ, フューズ	1		0.2
19-1	*09481-10101	・フューズ, 10A	4		WO.2
19-2	*09481-25101	・フューズ, 25A	2		WO.2
20	36680-33C10	ホルダ, イクニツシヨウカフ	1		
21	37100-33882	ロックセット	1	TYPE L	1.2
22	37100-17C02	・ロックアツシ, ステアリング	1	TYPE L	1.0
23	09139-06026	スクリュ	2	TYPE L	
24-1	37100-33885	ロックセット	1	TYPE M	
24-2	37100-33890	ロックセット	1	TYPE N	
25-1	37100-17C02	・ロックアツシ, ステアリング	1	TYPE M	
25-2	37100-33D00	・ロックアツシ, ステアリング	1	TYPE N	
26	09139-06026	・スクリュ	2	TYPE M/N	
27	37740-04A10	スイッチアツシ, ストッフランプ	1		0.4
28	09443-06012	スフリンク	1		
29	43250-33C00	フックセット, ストッフランプスイッチ	1		
30	09139-06027	スクリュ, 6X12	1		
31	37840-32C01	スイッチアツシ, サイトスタント	1		0.5
32	01517-06164	ホルト	2		
33	38740-24B10	リレーアツシ, サイトスタント	1		0.2
34	38500-33C10	ホーンアツシ	1		0.2
35	01517-06105	ホルト	1		
36	37146-03A80	キー, フランク	1	OPT	