

GSX-R400RL



パールスティールホワイト／パーセックブルー(3SH)



ブレードシルバー(0UL)



パールノベルティブラック／グレーメタリック(D26)

車体色は印刷のため実物と異なる場合があります。

GSX-R400RM



パールスティールホワイト／ヨーロピアンブルー(3SL)



スペースブラック／イタリアンレッド(8RY)



パールブラック(08E)

GSX-R400RN



パールスティールホワイト／ピュアレッド(N67)



ブレードシルバー(0UL)

車体色は印刷のため実物と異なる場合があります。

Spec sheet

SUZUKI GSXR400RL-S and SP

GK76A-100001~

Overall Length:

1995mm

Weight:

188kg

Power:

59ps@12,500rpm

Engine Capacity:

398cc

Bore & Stroke:

56.0x40.4mm

Valve clearances:

0.13~0.23mm

Inlet

Valve clearances:

0.20~0.30mm

Exhaust

Gearbox oil capacity:

2900cc approx

Oil only

Gearbox oil capacity:

3200cc approx

Oil and filter

Gearbox oil capacity:

On rebuild

Fork oil capacity:

390cc (sp385cc)

Fork oil air gap:

97mm (sp99mm)

Fork oil type:

5wt

Tyre size front:

120/60hr17

Tyre size rear:

160/60hr17

Tyre pressure front:

29psi

Tyre pressure rear:

32~36psi

Chain size:

525v108

Chain slack:

25~35mm

Battery type:

YTX9BS

Spark plug type:

CR8EK

Spark plug gap:

0.7~0.9mm

Headlight bulb:

60/55w 12v

Main jet:

100#

Pilot jet:

47.5#

Float height:

2-4mm

Mixture screw:

1.5 Turns out

Fuel tank capacity:

16 litre

FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 31 A




FIG. 32




FIG. 33




FIG. 34




FIG. 34 A




FIG. 34 B




FIG. 35




FIG. 36




FIG. 37




FIG. 37 A




FIG. 37 B




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 49 A




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61




FIG.31




FIG. 31 (F-2) フレーム (TYPE L/M)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	41100-33810	フレームセット	1	TYPE L	9.1
1-2	41100-33820	フレームセット	1	TYPE M	
2	41140-33C00	・チューブ、フレームスウン、ライト	1		1.8
3	07110-10357	・ホルト	3		
4	07110-10257	・ホルト	1		
5	07110-10408	・ホルト	2		
6	09159-10027	・ナット	5		
7-1	41200-33C00	・シートレール	1	TYPE L	1.5
7-2	41200-33C10	・シートレール	1	TYPE M	
8	43529-17D10	・ホルト、フットレストフ ラケット、レフト	2		
9	43529-17D00	・ホルト、フットレストフ ラケット、ライト	2		
10	09164-10005	・ワッシャ	4		
11	41762-12C01	フ ラケット、リヤクッションユニット	1		
12	09106-08083	ホルト、8X25	4		
13	09164-08015	ワッシャ	4		
14	41960-33C00	フ レート、エンシ ンマウチンク	1		
15	01517-08165	ホルト	2		

FIG.31A(F-3) :
TYPE N

FIG-31 A




FIG. 31A (F-3)

フレーム (TYPE N)

見出番号	品番	品名	使用個数	備考	標準 作業時間
1	41100-33811	フレームセット	1		9.1
2	41140-33C00	・チェーン、フレームタウン、ライト	1		1.8
3	07110-10357	・ホルト	3		
4	07110-10257	・ホルト	1		
5	07110-10408	・ホルト	2		
6	08322-11107	・ワッシャ	3		
7	09159-10027	・ナット	3		
8	08319-31107	・ナット	2		
9	41200-33C10	シートレール	1		1.5
10	43529-17D10	ホルト、フットレストフックラケット、レフト	2		
11	43529-17D00	ホルト、フットレストフックラケット、ライト	2		
12	09164-10005	ワッシャ	4		
13	41762-12C02	フックラケット、リヤクッションユニット	1		
14	09106-08083	ホルト、8X25	4		
15	09164-08015	ワッシャ	4		
16	41960-33C00	プレート、エンジンマウンディング	1		
17	01517-08165	ホルト	2		

FIG. 32




FIG. 32 (F-4) スタント

見出番号	品番	品名	使用個数	備考	標準作業時間
1	42310-33C00	スタント, フロップ	1		0.3
2	09443-14058	スフリンク	1		
3	09443-19011	スフリンク	1		
4	09111-10036	ホルト	1		
5	08310-22105	ナット	1		
6	42330-33C00	ブラケット, フロップスタント	1		0.4
7	07110-08407	ホルト	2		
8	09164-08015	ワッシャ	2		
9	08319-21088	ナット	2		
10	43110-33C00	ハタール, フレーキ	1		0.4
11	25652-49300	ラバー, キックシフトハタール	1		
12	09161-18003	ワッシャ, 18.2X27X1	1		
13	43211-33C00	スフリンク, リターン	1		
14	42100-32C00	スタントアッシ, リヤ	1	OPT	
15	61165-27A30	ホルタ, スタント	2	OPT	
16	07110-08305	ホルト	2	OPT	

FIG. 33




FIG. 33 (F-5) フットレスト

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	43511-32C00	ハバー, フロントフットレスト, ライト	1		0.2 B(0.3)
1-2	43521-32C00	ハバー, フロントフットレスト, レフト	1		0.2 B(0.3)
2	09104-06005	ホルルト, 6X20	2		
3	08310-11067	ナット	2		
4-1	43530-06C00	ホルダ, フットレスト	1	TYPE L	
4-2	43530-06C01	ホルダ, フットレスト	1	TYPE M/N	
4-3	43530-33C00	ホルダ, フットレスト, レフト	1	TYPE L	
4-4	43530-33C01	ホルダ, フットレスト	1	TYPE M/N	
5	09106-10052	ホルルト, 10X24	2		
6	09200-08067	ヒオン	2		
7	09180-08149	スヘーサ, 8.1X12X22	2		
8	09448-19020	スプリング	2		
9	08322-11088	ワッシャ	2		
10	04111-25158	コッタヒオン	2		
11	43811-33C00	フック, フロントフットレスト, ライト	1		0.4 B(0.5)
12	43821-33C00	フック, フロントフットレスト, レフト	1		0.3 B(0.5)
13	43529-33C00	ホルルト, フットレストフック	4		
14	43586-33C00	カーターフロントフットレスト	1		0.2
15-1	43620-33C00	フック, ヒーリオンフットレスト, ライト	1	TYPE L	0.4 B(0.5)
15-2	43620-33C10	フック, ヒーリオンフットレスト, ライト	1	TYPE M/N	
16-1	43720-33C00	フック, ヒーリオンフットレスト, レフト	1	TYPE L	0.4 B(0.5)
16-2	43720-33C01	フック, ヒーリオンフットレスト, レフト	1	TYPE M/N	
17-1	43610-33C00	ホルダ, フットレスト	2	TYPE L	
17-2	43610-33C01	ホルダ, ヒーリオン, フットレスト	2	TYPE M/N	
18-1	43611-32C00	ハバー, ヒーリオンフットレスト, ライト	1		0.2 B(0.3)
18-2	43621-32C00	ハバー, ヒーリオンフットレスト, レフト	1		0.2 B(0.3)
19	08319-31105	ナット	2		

FIG. 33




FIG. 33 (F-6) フートレスト

見出番号	品番	品名	使用個数	備考	標準作業時間
20	43691-33C00	クッション・フットレストホルダー	2		
21	43612-17D00	ローラ・フットレストホルダー	2		
22	09200-08067	ピン	2		
23	09180-08149	スペーサ・8.1X12X22	2		
24	08322-11088	ワッシャ	2		
25	04111-25158	コッタピン	2		
26	01517-08307	ボルト	6		

FIG. 34




FIG. 34 (F-7) フューエル タンク (TYPE L)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	44100-33C00-3SH	タンクアツシ, フューエル	1		0.5
1-2	44100-33C00-0UL	タンクアツシ, フューエル<シルハ<-->	1		
2-1	68111-01D00-0JW	・エンフ<レム, フューエルタンク<ホワイ ト>	2	FOR 3SH	
2-2	68111-01D00-16B	・エンフ<レム, フューエルタンク<シルハ -->	2	FOR 0UL	
3	44100-33C10-D26	タンクアツシ, フューエル	1		0.5
4	68110-33C00-20G	・チーフ<セット, フューエルタンク<ク レ>	1	FOR D26	
5	68111-12C00-33J	・エンフ<レム, フューエルタンク<フ<ラ ツク>	2	FOR D26	
6	44201-01851	キャツフ<セット, フューエルタンク	1		0.2
7	09106-05017	ホ<ルト, L:20	4		
8	68241-27A00	モ<ルチ<インク<, フューエルタンク	1		
9	44240-06B10	フ<ラク<, フューエルタンクフ<リー<サ<	1		
10	09168-12012	カ<スケツト	1		
11	09352-50823-300	ホ<ス, 5X8.2X300	1	L:300+290	
12	44191-33C10	シ<ルト<, フューエルタンクヒ<ート	1		
13	01517-08307	ホ<ルト	1		
14	09160-08001	ワツシヤ, 8.5X30X2.5	1		
15	09180-08048	ス<ハ<-<サ, 8X12X15	1		
16	44511-33C00	クツシヨ<ン, フューエルタンクフ<ロ<ント, ロ フ<	1		
17	44284-33C00	フ<ロ<チ<タ<, タンク, フ<ロ<ント	1		
18	44285-33C00	フ<ロ<チ<タ<, タンク, リ<リ<ヤ<	1		
19	44545-33C00	クツシヨ<ン, フューエルタンク, サ<イト<	2		
20	02142-06207	ス<クリ<ユ<	2		
21	09169-06051	ワツシヤ	2		
22	44531-33C00	フ<ラ<ケツト<, フューエルタンクリ<ヤ<	1		
23	02142-06167	ス<クリ<ユ<	2		

FIG.34A(F- 9) :
TYPE M
FIG.34B(F-11) :
TYPE N

FIG. 34

FIG. 34 (F-8) フuel タンク (TYPE L)

見山番号	品番	品名	使用個数	備考	標準作業時間
24	01517-06307	ボルト	2		
25	09180-06072	スワッチ、6.4X9X18	2		
26	09320-10038	クッション	2		
27	09320-14017	クッション	2		
28	09352-70103-00A	ホース、7X10.2X1000	1	L:1000-730	
29	09403-12312	クランプ	1		

FIG. 34A(F-9) :
TYPE M
FIG. 34B(F-11) :
TYPE N




FIG. 34 A




FIG. 34A (F-9) フューエル タンク (TYPE M)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	44100-33C20-3SL	タンクアツシ, フューエル	1		0.5
1-2	44100-33C20-8RY	タンクアツシ, フューエル	1		
2-1	68110-33C11-3SH	・チーフ° セット, フューエルタンク	1	FOR 3SL	
2-2	68110-33C11-H77	・チーフ° セット, フューエルタンク	1	FOR 8RY	
3-1	68111-01D00-0JW	・エンフ° レム, フューエルタンク (ホワイト)	2	FOR 3SL	
3-2	68111-01D00-0FP	・エンフ° レム, フューエルタンク (シルバ)	2	FOR 8RY	
4	44100-33C30-08E	タンクアツシ, フューエル (フ° ラック)	1		0.5
5	68111-01D00-13L	・エンフ° レム, フューエルタンク (シルバ)	2	FOR 08E	
6	44201-01851	キャツフ° セット, フューエルタンク	1		0.2
7	09106-05017	ホ° ルト, L: 20	4		
8	68241-27A00	モ° ルチ° インク°, フューエルタンク	1		
9	44240-06B10	フ° ラク°, フューエルタンクフ° リーサ°	1		
10	09168-12012	カ° スケツト	1		
11	09352-50823-300	ホ° ス, 5X8.2X300	1	L: 300-290	
12	44191-33C10	シ° ルト°, フューエルタンクヒ° ト	1		
13	01517-08307	ホ° ルト	1		
14	09160-08001	ワツシヤ, 8.5X30X2.5	1		
15	09180-08048	ス° ° サ, 8X12X15	1		
16	44511-33C00	クツシヨ, フューエルタンクフ° ロント, ロ	1		
17	44284-33C00	フ° ロチクタ, タンク, フ° ロント	1		
18	44285-33C00	フ° ロチクタ, タンク, リヤ	1		
19	44545-33C00	クツシヨ, フューエルタンク, サイト°	2		
20	02142-06207	スクリユ	2		
21	09169-06051	ワツシヤ	2		
22	44531-33C00	フ° ラケツト, フューエルタンクリヤ	1		
23	02142-06167	スクリユ	2		

FIG. 34B (F-11) :
TYPE N

FIG.34 A




FIG. 34A (F-10) フuel タンク (TYPE M)

見出番号	品番	品名	使用個数	備考	標準作業時間
24	01517-06307	ホルト	2		
25	09180-06072	スプーサ、6.4X9X18	2		
26	09320-10038	クッション	2		
27	09320-14017	クッション	2		
28	09352-70103-00A	ホース、7X10.2X1000	1	L:1000-730	

FIG.34B(F-11) :
TYPE N

FIG. 34 B




FIG. 34 B (F-11) フューエル タンク (TYPE N)

見出し番号	品番	品名	使用個数	備考	標準作業時間
1	44100-33C40-N67	タンクアツシ、フューエル	1		0.5
2	68115-33C00-N68	・チーフ、フューエルタンク	1		
3	68111-01D00-0FP	・エンフ・レム、フューエルタンク(シルハ	2		
4	44100-33C50-0UL	タンクアツシ、フューエル(シルハ	1		0.5
5	68111-01D00-16B	・エンフ・レム、フューエルタンク(シルハ	2		
6	44201-01851	キャツフ°セット、フューエルタンク	1		0.2
7	09106-05017	ホ°ルト、L:20	4		
8	68241-27A00	モ°ルト°インク°、フューエルタンク	1		
9	44240-06B10	フ°ラツク°、フューエルタンクフ°リーサ°	1		
10	09168-12012	カ°スケツト	1		
11	09352-50823-300	ホ°ス、5X8.2X300	1	L:300-290	
12	44191-33C10	シ°ルト°、フューエルタンクヒ°	1		
13	01517-08307	ホ°ルト	1		
14	09160-08001	ワツシヤ、8.5X30X2.5	1		
15	09180-08048	ス°°°サ、8X12X15	1		
16	44511-33C00	クツシヨ°、フューエルタンクフ°ロ°ント、ロ	1		
17	44284-33C00	フ°ロ°テクタ、タンク、フ°ロ°ント	1		
18	44285-33C00	フ°ロ°テクタ、タンク、リヤ	1		
19	44545-33C00	クツシヨ°、フューエルタンク、サイ°	2		
20	02142-06207	スクリュ	2		
21	09169-06051	ワツシヤ	2		
22	44531-33C00	フ°ラツケツト、フューエルタンクリヤ	1		
23	02142-06167	スクリュ	2		

FIG. 34B




FIG. 34B (F-12) フューエル タンク (TYPE N)

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
24	01517-06307	ホルト	2		
25	09180-06072	スパーサ, 6.4X9X18	2		
26	09320-10038	クッション	2		
27	09320-14017	クッション	2		
28	09352-70103-00A	ホース, 7X10.2X1000	1	L:1000+730	

見出发号	品番	品名	使用個数	備考	標準作業時間
1-1	44300-17C01	コックアツシ、フューエル	1	TYPE L/M	0.5
1-2	44300-17C02	コックアツシ、フューエル	1	TYPE N	
2	44306-17C00	・レバー、フューエルコック	1		
3	44305-17C00	・〇リング、フューエルタンクシゝョイント	1		
4	02112-04126	・スクリュ	1		
5	08321-21046	・ロツクワツシヤ	1		
6	09128-06006	スクリュ、6X20	2		
7	09168-06026	カゝスケツト、6.4X11.5X0.8	2		
8	09354-70113-600	ホゝス、7X11X600	1	L:600-320	
9	44441-33C01	ホゝス、フューエル、レフト	1		
10	09401-12403	クリツフゝ	2		
11	09440-13054	スフゝリングゝ	1		




FIG. 36





FIG. 36 (G-2) シート

見出番号	品番	品名	使用個数	備考	標準作業時間
1	45100-33C00-58R	シートアツシ(フック)	1		0.2
2	45111-33C00	・フレーム, シートホールド	1		
3	08316-26046	・ナット	6		
4	45149-31300	・クッション	2		
5	09321-10011	・クッション	2		
6	45149-22D00	・クッション, シート	1		
7	45219-22D00	・カラー, フロント	1		
8	45119-22D00	・プレート, シートフロント	1		
9	07110-06355	・ホルト	1		
10	45220-13601	ロックアツシ, シートストライカ	1		0.4
11	02112-06306	スクリ	4		
12	45280-48B10	ケーブル, シートロック	1		
13	09404-06425	クランプ	1		
14	01517-06108	・ホルト	1		
15	09404-06201	クランプ, L: 35	1		
16	09407-14403	クランプ, L: 125	1		
17	45300-33C00-6BY	シートアツシ, ヒールオン(フック)	1		0.2
18	45280-12C10	・ケーブル, ヒールオンシート	2		
19-1	95700-10832	ロックセット, シート/ヘルメット	1	TYPE L	0.3
19-2	95700-10833	ロックセット, シート/ヘルメット	1	TYPE M/N	
20-1	09139-06048	スクリ	2	TYPE L/M	
20-2	09139-06064	スクリ, 6X14	2	TYPE N	
21	09462-00046	バンド	1		

FIG. 37



GSX-R400RN

FIG. 37 (G-3) フレーム カバー (TYPE L)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	47110-33C00-3SL	カバー、フレーム、ライト	1	FOR 3SH	0.3
2	68130-33C00-0NE	・テーフセット、フレームカバー、リヤ、ライト(フルー)	1	FOR 3SL	
3	68135-33C00-0MB	・テーフ、フレームカバー、フロント、ライト(フルー)	1	FOR 3SL	
4	68131-33C00-D15	・エンフレム、フレームカバー	1	FOR 3SL	
5	47110-33C10-D23	カバー、フレーム、ライト	1	FOR 0UL	0.3
6	68135-33C10-16B	・テーフ、フレームカバー、リヤ、ライト(シルバ)	1	FOR D23	
7	68131-33C10-D23	・エンフレム、フレームカバー	1	FOR D23	
8	47110-33C20-C67	カバー、フレーム、ライト	1	FOR D26	0.3
9	68130-33C10-D27	・テーフセット、フレームカバー、フロント、ライト	1	FOR C67	
10	68135-33C10-0ED	・テーフ、フレームカバー、リヤ、ライト(クレー)	1	FOR C67	
11	68131-33C10-80A	・エンフレム、フレームカバー	1	FOR C67	
12	47210-33C00-3SL	カバー、フレーム、レフト	1	FOR 3SH	0.3
13	68140-33C00-0NE	・テーフセット、フレームカバー、リヤ、レフト(フルー)	1	FOR 3SL	
14	68145-33C00-0MB	・テーフ、フレームカバー、フロント、レフト(フルー)	1	FOR 3SL	
15	68131-33C00-D15	・エンフレム、フレームカバー	1	FOR 3SL	
16	47210-33C10-D23	カバー、フレーム、レフト	1	FOR 0UL	0.3
17	68145-33C10-16B	・テーフ、フレームカバー、リヤ、レフト(シルバ)	1	FOR D23	
18	68131-33C10-D23	・エンフレム、フレームカバー	1	FOR D23	
19	47210-33C20-C67	カバー、フレーム、レフト	1	FOR D26	0.3
20	68140-33C10-D27	・テーフセット、フレームカバー、フロント、レフト	1	FOR C67	
21	68145-33C10-0ED	・テーフ、フレームカバー、リヤ、レフト(クレー)	1	FOR C67	
22	68131-33C10-80A	・エンフレム、フレームカバー	1	FOR C67	
23	47164-12C01	クツシヨン、フレームカバー、フロント	2		
24	09320-08018	クツシヨン	2		
25	94433-26B00	クツシヨン	4		


FIG. 37A(G-5) :

TYPE M

FIG. 37B(G-7) :

TYPE N

FIG. 37




GSX-R400RN

FIG. 37 (G-4) フレーム カバー (TYPE L)

見出番号	品番	品名	使用個数	備考	標準作業時間
26	09180-06027	スベ-サ, 6.3X9.1X6.7	2		
27	09160-06054	ワッシャ, 6.5X22X1.6	2		
28	09139-06050	スクリム, 6X20	2		
29	47168-12C00	ナット, フレ-ムカバー-, センタ	2		
30	09139-05020	スクリム	4		
31	09180-06027	スベ-サ, 6.3X9.1X6.7	2		
32	09160-06063	ワッシャ, 6.5X22X1.6	2		
33	09139-06063	スクリム, 6X20	2		
34	03241-15125	スクリム	2		
35	09148-05019	ナット	2		
36-1	47310-33C00-0JW	カバー-, フレ-ム, センタ(ホワイト)	1	FOR 3SH	0.3
36-2	47310-33C00-0UL	カバー-, フレ-ム, センタ(シルバ-)	1	FOR 0UL	
36-3	47310-33C00-33J	カバー-, フレ-ム, センタ(フ-ラツク)	1	FOR D26	
37-1	68166-31300-0NE	・エンフ-レム(フル-)	1	FOR 0JW	
37-2	68166-31300-16B	・エンフ-レム(シルバ-)	1	FOR 0UL	
37-3	68166-31300-13L	・エンフ-レム(シルバ-)	1	FOR 33J	
38	47191-22D00	・ラハ-	2		
39	03241-04125	スクリム	2		
40	47410-33C00	フ-ラケツト, テ-ルランフ-, リヤ	1		0.3
41	03241-15125	スクリム	2		
42	09148-05019	ナット	2		
43	09136-06062	スクリム, 6X16	2		
44	09116-06010	ホルト, 6X20	1		
45	09180-06044	スベ-サ, 6.1X8X9.5	1		
46	09320-08048	クツシヨ-ン	1		

FIG. 37A(G-5) :
TYPE M
FIG. 37B(G-7) :
TYPE N

FIG. 37A




GSX-R400RN

FIG. 37A (G-5) フレーム カハ― (TYPE M)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	47110-33C40-0JW	カハ―、フレーム、ライト(ホワイト)	1	FOR 3SL	0.3
1-2	47110-33C40-13Z	カハ―、フレーム、ライト(ブラック)	1	FOR 8RY	
2-1	68130-33C21-3SR	・チーフ°セット、フレームカハ―、ライト	1	FOR 0JW	
2-2	68130-33C21-F75	・チーフ°セット、フレームカハ―、ライト	1	FOR 13Z	
3-1	68135-33C20-0NE	・チーフ°, フレームカハ―、ライト(フルー)	1	FOR 0JW	
3-2	68135-33C20-0FP	・チーフ°, フレームカハ―、ライト(シルーカハ―)	1	FOR 13Z	
4-1	68131-33C20-3RZ	・エンフ°レム、フレームカハ―	1	FOR 0JW	
4-2	68131-33C20-8RY	・エンフ°レム、フレームカハ―	1	FOR 13Z	
5	47110-33C50-08E	カハ―、フレーム、ライト(ブラック)	1	FOR 08E	0.3
6	68130-33C32-1GU	・チーフ°セット、フレームカハ―、ライト(フルー/ビ°ンク	1		
7-1	47210-33C40-0JW	カハ―、フレーム、レフト(ホワイト)	1	FOR 3SL	0.3
7-2	47210-33C40-13Z	カハ―、フレーム、レフト(ブラック)	1	FOR 8RY	
8-1	68140-33C21-3SR	・チーフ°セット、フレームカハ―、レフト	1	FOR 0JW	
8-2	68140-33C21-F75	・チーフ°セット、フレームカハ―、レフト	1	FOR 13Z	
9-1	68145-33C20-0NE	・チーフ°, フレームカハ―、レフト(フルー)	1	FOR 0JW	
9-2	68145-33C20-0FP	・チーフ°, フレームカハ―、レフト(シルーカハ―)	1	FOR 13Z	
10-1	68131-33C20-3RZ	・エンフ°レム、フレームカハ―	1	FOR 0JW	
10-2	68131-33C20-8RY	・エンフ°レム、フレームカハ―	1	FOR 13Z	
11	47210-33C50-08E	カハ―、フレーム、レフト(ブラック)	1	FOR 08E	0.3
12	68140-33C32-1GU	・チーフ°セット、フレームカハ―、レフト(フルー/ビ°ンク	1		
13	47164-12C01	クツシヨ、フレームカハ―、フロント	2		
14	09320-08018	クツシヨ	2		
15	94433-26B00	クツシヨ	4		
16	09180-06027	スヘ°サ、6.3X9.1X6.7	2		
17	09160-06054	ワツシヤ、6.5X22X1.6	2		
18	09139-06050	スクリュ、6X20	2		

FIG. 37B(G-7) :
TYPE N

FIG. 37A



GSX-R400RN

FIG. 37A (G-6)

フレーム カバー (TYPE M)

見出番号	品番	品名	使用個数	備考	標準作業時間
19	47168-12C00	ナット, フレームカバー, センタ	2		
20	09139-05020	スクリム	4		
21	09180-06027	スヘーサ, 6.3X9.1X6.7	2		
22	09160-06063	ワッシャ, 6.5X22X1.6	2		
23	09139-06063	スクリム, 6X20	2		
24	03241-15125	スクリム	2		
25	09148-05019	ナット	2		
26-1	47310-33C00-0JW	カバー, フレーム, センタ(ホワイト)	1	FOR 3SL	0.3
26-2	47310-33C00-13Z	カバー, フレームセンタ(ブラック)	1	FOR 8RY	
27-1	68166-31300-0NE	・エンフレーム(フルー)	1	FOR 0JW	
27-3	68166-31300-0FP	・エンフレーム(シルバー)	1	FOR 13Z	
28	47310-33C00-08E	カバー, フレームセンタ(ブラック)	1	FOR 08E	0.3
29	68166-31300-13L	・エンフレーム(シルバー)	1		
30	47191-22D00	・ラバー	2		
31	03241-04125	スクリム	2		
32	47410-33C00	ブラケット, テールランプ, リヤ	1		0.3
33	03241-15125	スクリム	2		
34	09148-05019	ナット	2		
35	09136-06062	スクリム, 6X16	2		
36	09116-06010	ホルト, 6X20	1		
37	09180-06044	スヘーサ, 6.1X8X9.5	1		
38	09320-08048	クッション	1		

FIG. 37B(G-7) :
TYPE N

FIG. 37 B




FIG. 37B (G-7)		フレーム カバー (TYPE N)		標準作業時間	
見出番号	品番	品名	使用個数	備考	
1	47110-33C80-0JW	カバー, フレーム, ライト(ホワイト)	1	FOR N67	0.3
2	68135-33C40-N71	・テーフ, フレームカバー, ライト	1	FOR 0JW	
3	68136-33C10-N73	・テーフ, フレームカバーセツケン, ライト	1	FOR 0JW	
4	47110-33C90-0UL	カバー, フレーム, ライト(シルバー)	1	FOR 0UL	0.3
5	68136-33C20-A9R	・テーフ, フレームカバーセツケン, ライト	1	FOR 0UL	
6	47210-33C80-0JW	カバー, フレーム, レフト(ホワイト)	1	FOR N67	0.3
7	68145-33C40-N71	・テーフ, フレームカバー, レフト	1	FOR 0JW	
8	68146-33C10-N73	・テーフ, フレームカバーセツケン, レフト	1	FOR 0JW	
9	47210-33C90-0UL	カバー, フレーム, レフト(シルバー)	1	FOR 0UL	0.3
10	68146-33C20-A9R	・テーフ, フレームカバーセツケン, レフト	1	FOR 0UL	
11	09320-08018	クツシヨン	4		
12	94433-26B00	クツシヨン	4		
13	09180-06027	スヘーサ, 6.3X9.1X6.7	2		
14	09160-06054	ワツシヤ, 6.5X22X1.6	2		
15	09139-06050	スクリユ, 6X20	2		
16	47168-12C00	ナット, フレームカバー, センタ	2		
17	02142-05106	スクリユ	4		
18	09180-06027	スヘーサ, 6.3X9.1X6.7	2		
19	09160-06063	ワツシヤ, 6.5X22X1.6	2		
20	02142-06205	スクリユ	2		
21	03241-15125	スクリユ	2		
22	09148-05019	ナット	2		
23-1	47310-33C00-0LX	カバー, フレームセンタ(ホワイト)	1	FOR N67	0.3
23-2	47310-33C00-0UL	カバー, フレーム, センタ(シルバー)	1	FOR 0UL	
24-1	68166-31300-16B	・エンフフレーム(シルバー)	1	FOR 0LX	
24-3	68166-31300-0FP	・エンフフレーム(シルバー)	1	FOR 0UL	
25	47191-22D00	・ラバー	2		
26	03241-04125	スクリユ	2		

FIG. 37 B




FIG. 37B (G-8) フレーム カバー (TYPE N)

見出番号	品番	品名	使用個数	備考	標準作業時間
27	47410-33C00	ブラケット, テールランプ, リヤ	1		0.3
28	03241-15125	スクリュー	2		
29	09148-05019	ナット	2		
30	09136-06062	スクリュー, 6X16	2		
31	09116-06010	ホルト, 6X20	1		
32	09180-06044	スペーサ, 6.1X8X9.5	1		
33	09320-08048	クッション	1		

FIG. 38




FIG. 38 (G-9) フロント ダンパ

見出し番号	品番	品名	使用個数	備考	標準作業時間
	51103-33C00	ダンパ°アツシ, ライト	1	KYB, TYPE L	W0.9 B<1.1)
	51103-33C20	ダンパ°アツシ, ライト	1	KYB, TYPE M/N	
	51104-33C00	ダンパ°アツシ, レフト	1	KYB, TYPE L	W0.9 B<1.1)
	51104-33C20	ダンパ°アツシ, レフト	1	KYB, TYPE M/N	
1	51110-33C00	・チューブ°, インナ, ライト	1		1.1 B<1.3)
2	51120-33C00	・チューブ°, インナ, レフト	1		1.1 B<1.3)
3	51121-28C00	・ピストン	2		
4	51146-33C00	・シリンダ°	2		
5	51148-40300	・カ°スケツト, シリンダ°	2		
6	51147-40300	・ホ°ルト, シリンダ°	2		
7	51328-27C20	・ホ°ルト, ステムヘツト°	2		
8	51352-13A60	・ナツト, ロツト°	2		
9	51172-33C00	・カ°イト°, スヘ°ーサ	2		
10	51171-33C00	・スフ°リンク°, メイン	2		
11	51176-33C00	・スヘ°ーサ, スフ°リンク°	2		
12-1	51130-33C00	・チューブ°, アウタ	2	TYPE L	1.1 B<1.3)
12-2	51130-33C20	・チューブ°, アウタ	2	TYPE M/N	
13	51167-40C40	・メタル, スライト°	2		
14	51158-05A00	・ワヅシヤ	2		
15	51153-06C00	・シール, オイル	2		
16	51156-49440	・リンク°, オイルシールストツパ°	2		
17	51173-40C40	・シール, ダ°スト	2		
18	51351-33C00	・キヤツフ°アツシ, フォーク	2		
19	51117-28C00	・ロリンク°	2		

FIG.39




FIG. 39 (G-10) ステアリング システム

見出番号	品番	品名	使用部数	備考	標準作業時間
1-1	51410-33C00	ステム, ステアリング	1	TYPE L	1.5
1-2	51410-33C20	ステム, ステアリング	1	TYPE M/N	
2	09265-30009	・ヘアリング, 30X55X17	1		1.7
3	01107-08455	ホルト	4		
4	08321-31084	ロックワッシャ	4		
5	09265-25008	ヘアリング, 25X47X15	1		
6	09285-34006	オイルシール	1		
7	51631-28000	ナット, ステアリング システム	1		
8	51632-33C00	スヘーサ, ステアリング システム	1		
9	51311-33C00	ハット, ステアリング システム	1		
10	07110-08405	ホルト	2		
11	51356-24B01	ワッシャ	1		
12	51353-28A10	ナット	1		

FIG.40




FIG. 40 (H-2) フロント フェンダー

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	53110-22D00-0NE	フェンダー, フロント(フルー)	1	FOR 3SH -53110-22D40-0NE	0.2
1-2	53110-22D00-33J	フェンダー, フロント(フック)	1	FOR D26 -53110-22D40-33J	
1-3	53110-22D00-0UL	フェンダー, フロント(シルバ)	1	FOR OUL	
1-4	53110-22D00-0NG	フェンダー, フロント(フルー)	1	FOR 3SL	
1-5	53110-22D00-28V	フェンダー, フロント(レット)	1	FOR 8RY	
1-6	53110-22D00-08E	フェンダー, フロント(フック)	1	FOR 08E	
1-7	53110-22D00-0NH	フェンダー, フロント(レット)	1	FOR N67	
1-8	53110-22D40-0NE	フェンダー, フロント(フルー)	1	FOR 3SH	
1-9	53110-22D40-33J	フェンダー, フロント(フック)	1	FOR D26	
2	53115-22D00	・フーレス, フロントフェンダー, リヤ	1		0.3
3	02142-04105	・スクリュー	2		
4	09139-06028	スクリュー, 6X20	4		
5	09161-06021	ワッシャー	2		

FIG.41




FIG. 41 (H-3) フロント ホイール

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	54111-32C70-12R	ホイール,フロント,MT3.50X17<シルバ>	1	FOR D26,8RY TYPE L,FOR OUL	1.3
1-2	54111-32C70-28W	ホイール,フロント,MT3.50X17<ホワイト>	1	FOR 3SH,3SL,N67	
1-3	54111-32C70-1DR	ホイール,フロント,MT3.50X17<ハーフ>	1	FOR 08E	
1-4	54111-32C70-291	ホイール,フロント,MT3.50X17<フラッグ>	1	TYPE N,FOR OUL	
2	08143-62037	ハブアリング	2		0.5
3	09180-17094	スベータ,17.5X22.5X73	1		
4-1	55411-00A00	ハランサ,ホイール,10G	0~3		
4-2	55412-00A00	ハランサ,ホイール,20G	0~3		
4-3	55413-00A00	ハランサ,ホイール,30G	0~3		
5	54711-22D00	アクスル,フロント	1		
6	54740-22D00	スベータ,フロントアクスル,ライト	1		
7	54600-32C02	ホックスアッシ,スベータメータ	1		0.5
8-1	59210-33C00	ディスク,フロントブレーキ,ライト	1	TYPE L SILVER/BLACK	0.6 B(0.8)
8-2	59210-33C10	ディスク,フロントブレーキ,ライト	1	TYPE M/N GOLD/BLACK	
9-1	59220-33C00	ディスク,フロントブレーキ,レフト	1	TYPE L SILVER/BLACK	0.6 B(0.8)
9-2	59220-33C10	ディスク,フロントブレーキ,レフト	1	TYPE M/N GOLD/BLACK	
10	09106-08082	ホルト,8X33	10		
11	*55110-33C00	タイヤ,フロント,120/60R17 5 SH<DUNLOP>	1		W0.6
12	43130-24A00	ハイルフアッシ<DUNLOP>	1		

FIG.42




FIG. 42 (H-4)

ハンドルバー

見出番号	品番	品名	使用個数	備考	標準 作業時間
1	56110-33C01	ハンドルバー、ライト	1		0.8 B(1.0)
2	56150-33C01	ハンドルバー、レフト	1		0.8 B(1.0)
3	07110-08405	ボルト	2		
4	08321-21084	ロックワッシャ	2		
5	08322-11084	ワッシャ	2		
6-1	56200-11810	ハンドルセット、ハンドルバー	2	TYPE L/M	0.2
6-2	56200-36810	ハンドルセット、ハンドルバー	2	TYPE N	
7-1	02132-06657	・スクリュー	2	TYPE L/M	
7-2	02132-06655	・スクリュー	2	TYPE N BLACK	
8-1	56274-12C00	・キャップ、ハンドル	2	TYPE L/M	
8-2	56274-05350	・キャップ、ハンドル	2	TYPE N PAINTING BLACK	
9	56271-49420	・ハンドル、ハンドルバー	2		
10	56272-44500	・エキスポンタ、ハンドルバー	2		
11	56275-34400	・スぺーサ、ハンドルバー	2		
12	09159-06024	・ナット	2		
13	56500-33C00	ミラーアッシ、リヤビュー、ライト	1		0.2
14	56600-33C00	ミラーアッシ、リヤビュー、レフト	1		0.2
15	56619-12C00	ナット、リヤビューミラー	4		
16	58300-33C00	ケーフルアッシ、スロットル	1		W1.2
17	58200-33C00	ケーフルアッシ、クラッチ	1		W0.7
18	58410-33C00	ケーフル、スタータ	1		W1.0
19	09407-14403	クランプ、L:125	1		

FIG.43




FIG. 43 (H-5) ライト ハンドル スイッチ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	57110-22D01	クォリツフ°, スロットル	1		0.2
2	37200-33C00	スイッチアツシ, ハンドル, ライト	1		0.7
3	02112-05455	・スクリユ	2		
4	57420-32C00	レハ-°, アシ°ヤスト	1		
5	57430-32C00	ノツカ	1		
6	57438-32C00	・スフ°リンク°	1		
7	57437-32C00	ホ°ルト	1		
8	08319-31065	ナツト	1		
9	57431-17C00	ホ°ルト, レハ-	1		
10	08316-16064	ナツト	1		
11	57460-17C00	スイッチアツシ, ストツフ°	1		0.2
12	57465-17C00	・スクリユ	1		

FIG.44




FIG. 44 (H-6) レフト ハンドル スイッチ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	57211-22000	クリップ, レフト	1		W0.2
2	57500-32C01	レバーアッシ, クラッチ	1		0.4
3	57620-27A31	レバー, クラッチ	1		0.2
4	57431-49110	ホルト, レバー	1		
5	08319-21065	ナット	1		
6	57644-20A02	スプリング, アシヤスタ	1		
7	57641-20A03	アシヤスタ, ロック	1		
8	02112-74085	スクリュー	1		
9	01204-06204	ホルト	1		
10	08322-21064	ワッシャ	1		
11	37400-33C00	スイッチアッシ, ハンドル, レフト	1		0.7
12	37481-30B00	レバー, チョーク	1		
13	37482-30B00	ヒース, スライド	1		
14	37483-30B00	スプリング	1		
15	37486-30B00	プレート	1		
16	02112-05455	スクリュー	2		
17	03511-04125	スクリュー	1		

FIG.45




FIG. 45 (H-7) フロント キャリハ°

見出番号	品番	品名	使用個数	備考	標準作業時間
	59100-33C10	キャリハ°アツシ, フロント, ライト	1		0.4 B<0.6)
	59300-33C10	キャリハ°アツシ, フロント, レフト	1		0.4 B<0.6)
1	59100-17830	・ヒ°ストーンセット	2		0.6 B<0.8)
2	59107-13A00	・・シール	4		
3	59108-13A00	・・フ°ーツ	4		
4	59107-17C00	・・シール, ヒ°ストーン	4		
5	59108-17C00	・・シール	4		
6	69107-17C00	・・シール	4		
7	59130-33C10	・ハ°ット°	4		W0.3 B<0.4)
8	59145-33C00	・ホ°ルト	8		
9	59315-17C00	・スフ°リンク°	2		
10	59345-33C00	・ヒ°ン, ハンカ°	2		
11	04111-16158	・コツタヒ°ン	2		
12	59121-01A00	・フ°リータ°	2		
13	59122-01A00	・キャツフ°, フ°リータ°	2		
14	01517-10308	ホ°ルト	4		

FIG.46




FIG. 46 (H-B) フロント ブレーキ ホース

見出し番号	品番	品名	使用個数	備考	標準作業時間
1	09360-10017	ユニオンボルト, 10X1.0X24	4		
2	09360-10018	ユニオンボルト, 10X36	1		
3	09161-10009	ワッシャー, 10X15X1.5	11		
4	59480-33C00	ホース, フロントブレーキ, NO.1	1		0.4
5	59240-33C00	ホース, フロントブレーキ, NO.2, ライト	1		0.4
6	59440-33C00	ホース, フロントブレーキ, NO.2, レフト	1		B(0.6)
7	59491-12C00	ジョイント, ブレーキホース	1		0.4
8	01517-06167	ボルト	1		B(0.6)

FIG.47




FIG. 47 (H-9) フロント マスタ シリンダ

見出番号	品番	品名	使用個数	備考	標準 作業時間
1-1	59600-32C00	シリンダ`アツシ,フロントマスタ	1	TYPE L/M	0.5
1-2	59600-32C01	シリンダ`アツシ,フロントマスタ	1	+59600-32C01 TYPE N	
2	59600-45860	・ピ`ストン/カツフ`セット	1		0.7
3	59666-44300	・`フ`ーツ	1		
4	69686-34200	・`オリ`ンク`	1		
5	59672-17C00	・コネクタ	1		
6	69674-00B20	・サークリップ`	1		
7	59673-17C00	・カハ`ー,タ`スト	1		
8	59671-36500	・ホルタ`	1		
9-1	59675-17C00	・ホル`ルト,ホルタ`セット	2	TYPE L/M	
9-2	59675-19C00	・ホル`ルト,ホルタ`セット(6X25)	2	TYPE N	
10	59740-07D00	タンクアツシ,リサ`ーハ`	1		0.3
11	59667-18441	・タ`イヤフラム	1		
12	59668-18441	・フ`レート,タ`イヤフラム	1		
13	59669-07D00	・キヤツフ`	1		
14	59743-17C00	フ`レート,リサ`ーハ`タンクキヤツフ`	1		
15	02112-74128	スクリュ	1		
16	02142-06164	スクリュ	1		
17	59751-22D00	フ`ラケツト,フロントリサ`ーハ`タンク	1		
18	59731-33C10	ホ`ース,フロントリサ`ーハ`タンク	1		0.3
19	59735-17C00	クラ`ンフ`,リサ`ーハ`タンク,フロント	2		
20-1	08313-21064	ナツト	1	TYPE L/M	
20-2	08316-16064	ナツト	1	TYPE N	
21	01517-06125	ホ`ルト	1		

FIG.48




FIG. 48 (I-2) リヤ スイング アーム

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	61000-33C00	スイングアームアツシ, リヤ	1	TYPE L/M	1.8
1-2	61000-33C10	スイングアームアツシ, リヤ	1	TYPE N	
2	09263-25024	・ハアリンク, 25X33X30	2		
3	09263-17037	・ハアリンク, 17X24X25	2		
4	09180-20108	・スヘーサ, 20.8X27.2X146	1		
5	61431-40C00	・スタット, チェーンアシヤスタホル	2		
6	61251-17C00	スヘーサ, スイングアームヒホットハアリンク	2		
7	08211-20381	スラストワツシヤ, T:1	2		
8	61262-17C00	タストシール, リヤスイングアームヒホット	2		
9	61211-33C00	シヤフト, リヤスイングアームヒホット	1		
10	08322-11188	ワツシヤ	1		
11	09159-18007	ナツト	1		
12	61213-22D00	ホルト, リヤスイングアームヒホット	1		
13	61214-40C30	ナツト, リヤスイングアームヒホットホルト	1		
14	61273-33C01	ハツツア, チェーンタツチエフエンス	1		1.8
15	09116-06111	ホルト, 6X20, ヒラワツシヤツキ	1		
16	09180-06073	スヘーサ, 6.4X9X5	1		
17-1	64310-33C00	トルクリンク, リヤ	1	TYPE L/M	0.3
17-2	64310-33C10	トルクリンク, リヤ	1	TYPE N	
18	64316-20A02	ハウシ, トルクリンクハアリンク	1		
19	09159-10027	ナツト	1		
20	09269-08002	ハアリンク	1		
21	09103-08042	ホルト, 8X31	1		
22	64339-40410	タストシール	2		
23	09103-08142	ホルト, 8X35	1		
24	64336-20A00	スヘーサ, リヤトルクリンク, リヤ	1		
25	08319-31087	ナツト	2		

FIG.49





FIG. 49 (I-3) リヤ クッション レハバー (TYPE L)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	62600-33871	レハバーセット, リヤクッション	1		0.8
2	09263-20064	・ヘアリング	1		
3	09263-17037	・ヘアリング, 17X24X25	2		
4	09263-17034	・ヘアリング	1		
5	62684-05C00	スヘーサ, リヤクッションレハバー, フロント	1		
6	09160-20066	ワッシャー	2		
7	62668-27A00	ホルト, リヤクッションレハバー, フロント	1		
8	08319-31128	ナット	1		
9	09180-12122	スヘーサ, 12X17X85	2		
10	62684-40A10	スヘーサ, リヤクッションレハバー, リヤ	1		
11	62641-32C00	ロッド, リヤクッションレハバー(L:198.6)	2		
12	09103-12037	ホルト, 12X115	2		
13	08319-31128	ナット	2		
14	62100-33C00	アフソーバアッシ, リヤショック	1		1.0
15	09103-10185	ホルト	1		
16	09103-10032	ホルト, 10X75	1		
17	08319-31107	ナット	2		

FIG.49A(I-4) :
TYPE M/N

FIG.49A



GSX-R400RN

FIG. 49A (I-4)

リヤ クッション レバー (TYPE M/N)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	62600-33871	レバーセット, リヤクッション	1		0.8
2	09263-20064	・ヘアリング	1		
3	09263-17037	・ヘアリング, 17X24X25	2		
4	09263-17034	・ヘアリング	1		
5	62684-05C00	スヘーサ, リヤクッションレバー, フロント	1		
6	09160-20066	ワッシャ	2		
7	62668-27A00	ホルト, リヤクッションレバー, フロント	1		
8	08319-31128	ナット	1		
9	09180-12122	スヘーサ, 12X17X85	2		
10	62684-40A10	スヘーサ, リヤクッションレバー, リヤ	1		
11	62641-32C00	ロッド, リヤクッションレバー<L:198.6>	2		
12	09103-12037	ホルト, 12X115	2		
13	08319-31128	ナット	2		
14-1	62100-33C40	アフソーバアツシ, リヤシヨツク	1	TYPE M	1.0
14-2	62100-33C50	アフソーバアツシ, リヤシヨツク	1	TYPE N	
15	09103-10185	ホルト	1		
16	09103-10032	ホルト, 10X75	1		
17	08319-31107	ナット	2		
18	62331-07D00	クッション, リサバータンク	1		
19	09402-43501	クランフ	2		
20-1	09404-06404	クランフ, L:80	1		
20-2	09404-08413	クランフ, L:65	1		
21	09407-14403	クランフ, L:125	1		

FIG.50




FIG. 50 (I-5) リヤ フェンタ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	63113-33C00	ホ"ター, リヤフェンタ", フロント	1		0.4
2	63112-33C00	ホ"ター, リヤフェンタ", リヤ	1		0.4
3	63110-33C00	フェンタ", リヤ, ロア	1		0.4
4	02142-05126	スクリ	2		
5	09160-05016	ワツシヤ, 5.2X14X1	2		
6	02142-06125	スクリ	4		
7	09169-06041	ワツシヤ	4		
8	01517-06306	ホ"ルト	2		
9	09169-06021	ワツシヤ	2		
10	08316-16066	ナツト	2		
11	01517-06126	ホ"ルト	4		
12	09169-06047	ワツシヤ	4		
13	01517-06167	ホ"ルト	2		
14	09160-06020	ワツシヤ, 6.5X20X1.6	2		
15	08316-26066	ナツト	2		
16	09800-20040	ツールアツシ	1		
17	09462-00046	ハ"ント"	1		
18	94980-31000	ハ"ツク, ト"キユメント	1		
19	63115-06C00	チーフ", リヤフェンタ"	2		

FIG.51




FIG. 51 (I-6) リヤ ホイル

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	64111-32C70-12R	ホイール, リヤ, MT4.50X17(シルハート)	1	FOR D26.8RY TYPE L, FOR OUL	1.5
1-2	64111-32C70-28W	ホイール, リヤ, MT4.50X17(ホワイト)	1	FOR 3SH.3SL.N67	
1-3	64111-32C70-1DR	ホイール, リヤ, MT4.50X17(ハーフ)	1	FOR 08E	
1-4	64111-32C70-291	ホイール, リヤ, MT4.50X17(ブラック)	1	TYPE N, FOR OUL	
2-1	69211-32C00	ディスク, リヤフブレーキ	1	TYPE L, SILVER	0.7
2-2	69211-32C20	ディスク, リヤフブレーキ	1	TYPE M, GOLD	
2-3	69211-32C30	ディスク, リヤフブレーキ	1	TYPE N, BLACK	
3	09106-08082	ホルト, 8X33	4		
4	69412-32C00	スヘーサ, キャリハフラケット	1		
5	64740-48B00	スヘーサ, リヤアクスル, ライト	1		
6	64611-33C00	トラム, リヤスフロック	1		
7	64651-32C00	アフソーハ, リヤハフショック	5		0.6
8	64711-22D00	アクスル, リヤ	1		
9	64733-27A00	リテーナ, リヤハフヘアリング	1		
10	64751-33C00	スヘーサ, リヤアクスル, レフト	1		
11	09159-20005	ナット	1		
12	09180-20106	スヘーサ, 20.8X27.2X77.7	1		
13	08123-62047	ヘアリング	1		
14	09262-20042	ヘアリング	1		0.7
15	09262-25073	ヘアリング, 25X52X15	1		0.7
16	09285-35001	オイルシール	1		0.7
17	64511-33C00	スフロック, リヤ, NT:44	1		W0.7
18	09119-10043	ホルト	5		
19	08319-31107	ナット	5		

FIG.51




FIG. 51 (I-7) リヤ ホイール

見出番号	品番	品名	使用個数	備考	標準 作業時間
20	61411-22D01	アシヤスタ, チェーン	2		
21	61415-22D00	ナット, チェーンアシヤスタ	2		
22	08331-31136	サークリップ	2		
23	*65110-33C00	タイヤ, リヤ, 160/60R17 69H (DUNLOP)	1		W0.9
24	43130-24A00	ハルファアツシ (DUNLOP)	1		
25-1	55411-00A00	ハランサ, ホイール, 10G	0~3		
25-2	55412-00A00	ハランサ, ホイール, 20G	0~3		
25-3	55413-00A00	ハランサ, ホイール, 30G	0~3		

FIG.52






FIG. 52 <I-8> リヤ キャリハ°

見出番号	品番	品名	使用個数	備考	標準作業時間
	69100-33C00	キャリハ°アツシ, リヤ	1	TYPE L/M +69100-33C01	0.6
	69100-33C01	キャリハ°アツシ, リヤ	1	TYPE N	
1	69100-32810	・ヒ°ストンセツト	1		0.8
2	59107-18410	・・シール, ヒ°ストン	2		
3	69108-32B00	・・シール, ワイハ°	2		
4	69107-34200	・・シール	1		
5	69130-33C00	・ハ°ツト°	2		W0.4
6	69141-45000	・ヒ°ン, ハ°ツト°	2		
7	59143-16700	・スフ°リンク°	2		
8	69142-45000	・クリツフ°, ハ°ツト°ヒ°ン	2		
9	59151-16701	・カハ°ー	1		
10	59121-18410	・フ°リータ°	2		
11	59122-18410	・キャツフ°, フ°リータ°	2		
12	59145-16700	・ホ°ルト	2		
13	09285-28002	・オイルシール	2		
14	62647-04A00	・シール, タ°スト	2		
15	59371-33410	・シム	2		

FIG. 53 (I-9) リヤ マスタ シリンダ¹⁾

見出番号	品番	品名	使用個数	備考	標準作業時間
1	69600-33C00	シリントﾞアツシ、リヤマスダ	1		0.6
2	69600-04810	・ヒﾟストン/カツフﾟセツト	1		0.8
3	69692-27A30	・ヨーク	1		
4	69670-48B00	・ロツトゝ、フﾟツシユ	1		
5	69693-05A00	・ナツト	2		
6	69691-00A00	・フゝｰツ	1		
7	51162-70040	・サークリツフﾟ	1		
8	69672-05A00	・コネクタ	1		
9	69686-34200	・ロリングゝ	1		
10	02112-74125	・スクリュ	1		
11	09139-06056	スクリュ、6X20	2		
12-1	69740-48B11	タンクアツシ、リサゝーハゝ	1	TYPE L/M	0.3
12-2	69740-48B12	タンクアツシ、リサゝーハゝ	1	+69740-48B12 TYPE N	
13-1	69669-20C00	・キヤツフﾟ	1	TYPE L/M	
13-2	59669-05D10	・キヤツフﾟ	1	TYPE N	
14	69689-04A00	・スクリュ	2		
15	59667-04700	・タゝイヤフラム	1		
16	01517-06128	ホゝﾙト	1		
17	69731-33C00	ホｰス、リサゝーハゝタンク	1		0.3
18	09400-15302	クランフﾟ	2		
19	69480-33C00	ホｰス、リヤフゝレーキ	1		0.5
20	09360-10017	ユニオンホゝﾙト、10X1.0X24	2		
21	09161-10009	ワツシヤ、10X15X1.5	4		
22	09200-06037	ヒﾟン	1		
23	08322-21067	ワツシヤ	1		
24	04111-20158	コツタヒﾟン	1		
25	09403-16307	クランフﾟ	1		

FIG.54



GSX-R400RN

FIG. 54 (J-2) カウリング (TYPE L 3SH)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	94400-33C00-0JW	ホッチャーアツシ, カウリング (ホワイト)	1	FOR 3SH	0.5
2	68271-43400-0NE	エンブレム, "SUZUKI" (フルー)	1		
3	68270-33C00-3BK	テーパーセツト, カウリングアツハ°, サイト	1		
4	68280-33C01-C09	テーパーセツト, カウリングアツハ°, フロント	1		
5	94610-33C00	ウイントスクリーンセツト	1		0.5
6	94631-33C00	モールドインク, ウイントスクリーン	1		
7	94616-22D00	ビーン, ウイントスクリーン (4X11)	7		
8	09320-04007	クッション, 4X13X1.0	7		
9	09148-04032	ナット	7		
10	94403-33C00-0JW	カハアツシ, カウリングサイト, ライト (ホワイト)	1		0.2
11	68680-33C01-D14	テーパーセツト, カウリングサイト, ライト	1		
12	94404-33C00-0JW	カハアツシ, カウリングサイト, レフト (ホワイト)	1		0.2
13	68690-33C01-D14	テーパーセツト, カウリングサイト, レフト	1		
14	94407-33C00-0JW	カウリングアツシ, アンタ, ライト (ホワイト)	1		
15	68181-33C00-0NE	エンブレム, カウリングアンタ, ライト (フルー)	1		
16	68182-33C00-3SH	エンブレム, カウリングアンタ, "SSC"	1		
17	68185-33C00-0MB	テーパー, カウリングアンタ, ライト (フルー)	1		

FIG.55 (J-6):
TYPE L OUL
FIG.56 (J-9):
TYPE L D26
FIG.57 (K-2):
TYPE M 3SL/BRV
FIG.58 (K-4):
TYPE M 08E
FIG.59 (K-5):
TYPE N N67
FIG.60 (K-6):
TYPE N OUL

FIG.54





FIG. 54 (J-3) カウリング (TYPE L 3SH)

見出し番号	品番	品名	使用個数	備考	標準作業時間
18	94408-33C00-0JW	カウリング"アツシ, アンタ", レフト (ホ ワイト)	1		0.3
19	68191-33C00-0NE	・エンフ"レム, カウリング"アンタ", レ フト (フ"ルー)	1		
20	68182-33C00-3SH	・エンフ"レム, カウリング"アンタ", "SSC"	1		
21	68195-33C00-0MB	・チーフ", カウリング"アンタ", レフト (フ"ルー)	1		
22	09139-05044	スクリュ	6		
23	09161-07009	ワッシャ	6		
24	09139-06027	スクリュ, 6X12	2		
25	09161-06021	ワッシャ	2		
26	94570-33C00	クッション, カウリング"サイト"	2		
27	09180-06161	スヘーサ	2		
28	08321-21064	ロックワッシャ	2		
29	94472-12C00	スタット", アンタ"カウリング"フィッ ィンク", ライト	6		
30	09161-07009	ワッシャ	6		
31	94473-12C00	リチーナ, アンタ"カウリング"フィッ ィンク", ライト	6		
32	94510-33C00	フ"レーズ, カウリング"	1		0.5
33	01107-08355	ホ"ルト	1		
34	08321-21084	ロックワッシャ	1		
35	08310-12085	ナット	1		

FIG.55 (J-6):
TYPE L OUL
FIG.56 (J-9):
TYPE L D26
FIG.57 (K-2):
TYPE M 3SL/8RY
FIG.58 (K-4):
TYPE M 08E
FIG.59 (K-5):
TYPE N N67
FIG.60 (K-6):
TYPE N OUL

FIG.54



GSX-R400RN

FIG. 54 (J-4) カウリング* (TYPE L 3SH)

見出番号	品番	品名	使用個数	備考	標準作業時間
36	01137-08355	ホルト	1		
37	09320-09019	クッション	3		
38	94520-33C00	フーレス, リヤビューミラー	1		0.3
39	01517-06164	ホルト	2		
40	94576-22D00	クッション, リヤビューミラー	2		
41	94451-33C10	ハーフ°, エアインテーク, ライト	1		0.3
42	94453-33C00	ハーフ°, エアインテーク, リヤ	1		0.4
43	94459-33C00	フラクツ, エアインテークハーフ°	1		0.4
44	02142-06206	スクリム	1		
45	94454-33C00	シヨイント, エアインテーク, ライト	1		0.4
46	94456-33C00	クッション, エアインテーク	1		
47	94455-33C00	シヨイント, エアインテーク, レフト	1		0.3
48	94452-33C10	ハーフ°, エアインテーク, レフト	1		0.3
49	94456-33C00	クッション, エアインテーク	2		
50	09139-05032	スクリム, 5X18	2		
51	09148-05023	ナット	2		

FIG.55 (J-6):
TYPE L OUL
FIG.56 (J-9):
TYPE L D26
FIG.57 (K-2):
TYPE M 3SL/8RY
FIG.58 (K-4):
TYPE M 08E
FIG.59 (K-5):
TYPE N N67
FIG.60 (K-6):
TYPE N OUL

FIG.54




FIG. 54 (J-5) カウリング* (TYPE L 3SH)

見山番号	品番	品名	使用個数	備考	標準作業時間
52	09139-06028	スクリュー, 6X20	2		
53	09160-06056	ワッシャー, 6.5X18X1	2		
54	09180-06152	スヘーサー, 6.4X9X8.5	2		
55	09320-09016	クッション	2		
56	94740-33C00	ブラケット, アンタ*カウリング*	2		
57	09139-06039	スクリュー, 6X16	2		
58	09161-06021	ワッシャー	2		
59	94493-06B00	ブレース, カウリング*ロアカバー, リ	1		
60	09139-06039	スクリュー, 6X16	2		
61	09161-06021	ワッシャー	2		
62	94490-06B00	ブレース, カウリング*ロアカバー	1		
63	94498-33C00-0JW	カウリング*, アンタ*, センタ(ホワイト)	1		0.2
64	09139-05025	スクリュー, 5X14	2		
65	08316-26055	ナット	2		
66	09139-06030	スクリュー, 6X16	1		
67	68319-10D01	ラベル, コーシヨク(コールド)	1		
68	68612-33C01	ラベル, カウリング*	1		

FIG.55 (J-6):
TYPE L OUL
FIG.56 (J-9):
TYPE L D26
FIG.57 (K-2):
TYPE M 3SL/8RY
FIG.58 (K-4):
TYPE M 08E
FIG.59 (K-5):
TYPE N M67
FIG.60 (K-6):
TYPE N OUL

FIG.55





FIG. 55 (J-6) カウリング (TYPE L OUL)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	94400-33C10-OUL	ホ"チ"ーアツシ, カウリング" (シルハ"ー)	1		0.5
2	68275-33C00-D24	・チーフ", カウリング"アツハ"	1		
3	94610-33C00	ウイント"スクリーンセット	1		0.5
4	94631-33C00	・モ"ルチ"インク", ウイント"スクリー"ン	1		
5	94616-22D00	ビ"ン, ウイント"スクリーン(4X11)	7		
6	09320-04007	クツシヨ"ン, 4X13X1.0	7		
7	09148-04032	ナツト	7		
8	94403-33C10-OUL	カハ"ーアツシ, カウリング"サイト", ラ"イト(シルハ"ー)	1		0.2
9	68681-33C00-D25	・エンフ"レム, カウリング"サイト"	1		
10	94404-33C10-OUL	カハ"ーアツシ, カウリング"サイト", レ"フト(シルハ"ー)	1		0.2
11	68681-33C00-D25	・エンフ"レム, カウリング"サイト"	1		
12	94407-33C10-OUL	カウリング"アツシ, アンタ", ラ"イト(シルハ"ー)	1		0.3
13	68111-34301-16B	・エンフ"レム, "SUZUKI"(シルハ"ー)	1		
14	68182-33C00-D25	・エンフ"レム, カウリング"アンタ", "SSC"	1		
15	94408-33C10-OUL	カウリング"アツシ, アンタ", レ"フト(シルハ"ー)	1		0.3
16	68111-34301-16B	・エンフ"レム, "SUZUKI"(シルハ"ー)	1		
17	68182-33C00-D25	・エンフ"レム, カウリング"アンタ", "SSC"	1		
18	09139-05044	スクリ"ユ	6		
19	09161-07009	ワツシ"ヤ	6		
20	09139-06027	スクリ"ユ, 6X12	2		
21	09161-06021	ワツシ"ヤ	2		
22	94570-33C00	クツシヨ"ン, カウリング"サイト"	2		

FIG.56 (J-9) :
TYPE L D26
FIG.57 (K-2) :
TYPE M 3SL/8RY
FIG.58 (K-4) :
TYPE M 08E
FIG.59 (K-5) :
TYPE N N67
FIG.60 (K-6) :
TYPE N OUL

FIG.55




GSX-R400RN

FIG. 55 (J-7) カウリング (TYPE L OUL)

見出番号	品番	品名	使用個数	備考	標準作業時間
23	09180-06161	スネーサ	2		
24	08321-21064	ロックワッシャ	2		
25	94472-12C00	スタット, アンタカウリングフィッティング, ライト	6		
26	09161-07009	ワッシャ	6		
27	94473-12C00	リチーナ, アンタカウリングフィッティング, ライト	6		
28	94510-33C00	フーレス, カウリング	1		0.5
29	01107-08355	ホルト	1		
30	08321-21084	ロックワッシャ	1		
31	08310-12085	ナット	1		
32	01137-08355	ホルト	1		
33	09320-09019	クッション	3		
34	94520-33C00	フーレス, リヤビュミラー	1		0.3
35	01517-06164	ホルト	2		
36	94576-22D00	クッション, リヤビュミラー	2		
37	94451-33C10	ハーフ, エアインターク, ライト	1		0.3
38	94453-33C00	ハーフ, エアインターク, リヤ	1		0.4
39	94459-33C00	フラグゼット, エアインタークハーフ	1		0.4
40	02142-06206	スクリーン	1		
41	94454-33C00	シヨイント, エアインターク, ライト	1		0.4
42	94456-33C00	クッション, エアインターク	1		

FIG.56 (J-9) :
TYPE L D26
FIG.57 (K-2) :
TYPE M 3SL/8RY
FIG.58 (K-4) :
TYPE M 08E
FIG.59 (K-5) :
TYPE N N67
FIG.60 (K-6) :
TYPE N OUL

FIG.55




GSX-R400RN

FIG. 55 (J-8) カウリング (TYPE L OUL)

見出し番号	品番	品名	使用個数	備考	標準作業時間
43	94455-33C00	シヨイント, エアインテーク, レフト	1		0.3
44	94452-33C10	パイプ, エアインテーク, レフト	1		0.3
45	94456-33C00	クッション, エアインテーク	2		
46	09139-05032	スクリム, 5X18	2		
47	09148-05023	ナット	2		
48	09139-06028	スクリム, 6X20	2		
49	09160-06056	ワッシャー, 6.5X18X1	2		
50	09180-06152	スヘーサ, 6.4X9X8.5	2		
51	09320-09016	クッション	2		
52	94740-33C00	ブラケット, アンタカウリング	2		
53	09139-06039	スクリム, 6X16	2		
54	09161-06021	ワッシャー	2		
55	94493-06B00	ブレース, カウリングロアカバー, リヤ	1		
56	09139-06039	スクリム, 6X16	2		
57	09161-06021	ワッシャー	2		
58	94490-06B00	ブレース, カウリングロアカバー	1		
59	94498-33C00-OUL	カウリング, アンタ, センタ(シルハ-)	1		0.2
60	09139-05025	スクリム, 5X14	2		
61	08316-26055	ナット	2		
62	09139-06030	スクリム, 6X16	1		
63	68319-10D01	ラベル, コーシヨ(コ-ルト)	1		
64	68612-33C01	ラベル, カウリング	1		

FIG.56 (J-9) :
TYPE L D26
FIG.57 (K-2) :
TYPE M 3SL/8RY
FIG.58 (K-4) :
TYPE M 08E
FIG.59 (K-5) :
TYPE N N67
FIG.60 (K-6) :
TYPE N OUL

FIG.56



GSX-R400RN

FIG. 56 (J-11) カウリング* (TYPE L D26)

見出番号	品番	品名	使用個数	備考	標準作業時間
45	94455-33C00	シ*ヨイント, エアインターク, レフト	1		0.3
46	94452-33C10	ハ*イフ*, エアインターク, レフト	1		0.3
47	94456-33C00	クツシヨシ, エアインターク	2		
48	09139-05032	スクリ1, 5X18	2		
49	09148-05023	ナツト	2		
50	09139-06028	スクリ1, 6X20	2		
51	09160-06056	ワツシヤ, 6.5X18X1	2		
52	09180-06152	スヘ*サ, 6.4X9X8.5	2		
53	09320-09016	クツシヨシ	2		
54	94740-33C00	フ*ラケツト, アンタ*カウリング*	2		
55	09139-06039	スクリ1, 6X16	2		
56	09161-06021	ワツシヤ	2		
57	94493-06B00	フ*レース, カウリング*ロアカハ*ー, リヤ	1		
58	09139-06039	スクリ1, 6X16	2		
59	09161-06021	ワツシヤ	2		
60	94490-06B00	フ*レース, カウリング*ロアカハ*ー	1		
61	94498-33C00-33J	カウリング*, アンタ*, センタ(フ*ラツク)	1		0.2
62	09139-05025	スクリ1, 5X14	2		
63	08316-26055	ナツト	2		
64	09139-06030	スクリ1, 6X16	1		
65	68319-10D01	ラヘ*ル, コーシヨシ(コ*ールト*)	1		
66	68612-33C01	ラヘ*ル, カウリング*	1		

FIG.57 (K-2) :
 TYPE M 3SL/8RY
 FIG.58 (K-4) :
 TYPE M 08E
 FIG.59 (K-5) :
 TYPE N N67
 FIG.60 (K-6) :
 TYPE N OUL

FIG.56





FIG. 56 (J-10) カウリング (TYPE L D26)

見出番号	品番	品名	使用個数	備考	標準作業時間
22	09139-06027	スクリュー, 6X12	2		
23	09161-06021	ワッシャー	2		
24	94570-33C00	クッション, カウリング"サイト"	2		
25	09180-06161	スネーサ	2		
26	08321-21064	ロックワッシャー	2		
27	94472-12C00	スタット", アンタ"カウリング"フィッティング", ライト	6		
28	09161-07009	ワッシャー	6		
29	94473-12C00	リチーナ, アンタ"カウリング"フィッティング", ライト	6		
30	94510-33C00	フーレース, カウリング"	1		0.5
31	01107-08355	ホルト	1		
32	08321-21084	ロックワッシャー	1		
33	08310-12085	ナット	1		
34	01137-08355	ホルト	1		
35	09320-09019	クッション	3		
36	94520-33C00	フーレース, リヤビームミラー	1		0.3
37	01517-06164	ホルト	2		
38	94576-22D00	クッション, リヤビームミラー	2		
39	94451-33C10	ハーフ°, エアインテーク, ライト	1		0.3
40	94453-33C00	ハーフ°, エアインテーク, リヤ	1		0.4
41	94459-33C00	フック, エアインテークハーフ°	1		0.4
42	02142-06206	スクリュー	1		
43	94454-33C00	ジョイント, エアインテーク, ライト	1		0.4
44	94456-33C00	クッション, エアインテーク	1		

FIG.57 (K-2) :
TYPE M 3SL/8RY
FIG.58 (K-4) :
TYPE M 08E
FIG.59 (K-5) :
TYPE N N67
FIG.60 (K-6) :
TYPE N OUL

FIG.56



GSX-R400RN

FIG. 56 (J-9) カウリング (TYPE L D26)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	94400-33C20-33J	ホッチャーアッシ、カウリング (フック)	1		0.5
2	68270-33C10-0ED	・テフセツ、カウリングアッハ、サイト (クレー)	1		
3	68275-33C10-D26	・テフセツ、カウリングアッハ	1		
4	68280-33C10-20G	・テフセツ、カウリングアッハ、フロント (クレー)	1		
5	94610-33C00	ウイントスクリーンセツ	1		0.5
6	94631-33C00	・モルチング、ウイントスクリーン	1		
7	94616-22D00	ヒン、ウイントスクリーン (4X11)	7		
8	09320-04007	クッション、4X13X1.0	7		
9	09148-04032	ナット	7		
10	94403-33C20-33J	カハアッシ、カウリングサイト、ライト (フック)	1		0.2
11	68680-33C10-D28	・テフセツ、カウリングサイト、ライト	1		
12	94404-33C20-33J	カハアッシ、カウリングサイト、レフト (フック)	1		0.2
13	68690-33C10-D28	・テフセツ、カウリングサイト、レフト	1		
14	94407-33C20-33J	カウリングアッシ、アンタ、ライト (フック)	1		0.3
15	68181-33C10-13L	・エンブレム、カウリングアンタ、ライト (シルハ)	1		
16	68180-33C00-E37	・テフセツ、カウリングアンタ、ライト	1		
17	94408-33C20-33J	カウリングアッシ、アンタ、レフト (フック)	1		0.3
18	68191-33C10-13L	・エンブレム、カウリングアンタ、レフト (シルハ)	1		
19	68190-33C00-E37	・テフセツ、カウリングアンタ、レフト	1		
20	09139-05044	スクリス	6		
21	09161-07009	ワッシヤ	6		

FIG.57 (K-2) :
TYPE M 3SL/8RY
FIG.58 (K-4) :
TYPE M 08E
FIG.59 (K-5) :
TYPE N N67
FIG.60 (K-6) :
TYPE N OUL

FIG. 57




FIG. 57 (K-2) カウリング ホーター (TYPE M 3SL/8RY)

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	94400-33C60-3SL	ホーターアツシ, カウリング (ホワイトフルー)	1		0.5
1-2	94400-33C60-8RY	ホーターアツシ, カウリング (ブラック/レッド)	1		
2-1	68275-33C10-3SH	テーフ, カウリングアツハ	1	FOR 3SL	
2-2	68275-33C10-H77	テーフ, カウリングアツハ	1	FOR 8RY	
3-1	68280-33C40-ONG	テーフセツト, カウリングアツハ (フルー)	1	FOR 3SL	
3-2	68280-33C40-28V	テーフセツト, カウリングアツハ (レッド)	1	FOR 8RY	
4-1	94403-33C30-0JW	カハアツシ, カウリングサイト, ライト (ホワイト)	1	FOR 3SL	0.2
4-2	94403-33C30-13Z	カハアツシ, カウリングサイト, ライト (ブラック)	1	FOR 8RY	
5-1	68685-33C01-H04	テーフセツト, カウリングサイト, ライト	1	FOR 0JW	
5-2	68685-33C01-H35	テーフセツト, カウリングサイト, ライト	1	FOR 13Z	
6-1	68680-33C21-ONE	テーフセツト, カウリングサイト, ライト (フルー)	1	FOR 0JW	
6-2	68680-33C21-0FP	テーフセツト, カウリングサイト, ライト (シルバー)	1	FOR 13Z	
7-1	94404-33C30-0JW	カハアツシ, カウリングサイト, レフト (ホワイト)	1	FOR 3SL	0.2
7-2	94404-33C30-13Z	カハアツシ, カウリングサイト, レフト (ブラック)	1	FOR 8RY	
8-1	68695-33C01-H04	テーフセツト, カウリングサイト, レフト	1	FOR 0JW	
8-2	68695-33C01-H35	テーフセツト, カウリングサイト, レフト	1	FOR 13Z	
9-1	68690-33C21-ONE	テーフセツト, カウリングサイト, レフト (フルー)	1	FOR 0JW	
9-2	68690-33C21-0FP	テーフセツト, カウリングサイト, レフト (シルバー)	1	FOR 13Z	

FIG. 58 (K-4) :
TYPE M 08E
FIG. 59 (K-5) :
TYPE N N67
FIG. 60 (K-6) :
TYPE N 0UL
FIG. 61 (K-7) :
FITTING SET

FIG. 57




FIG. 57 (K-3) カウリング* ホッチャー (TYPE M 3SL/8RY)

見出番号	品番	品名	使用個数	備考	標準作業時間
10-1	94407-33C60-0JW	カウリング*アツシ, アンタ*, ライト(ホ ワイト)	1	FOR 3SL	0.3
10-2	94407-33C60-13Z	カウリング*アツシ, アンタ*, ライト(フ ラック)	1	FOR 8RY	
11-1	68111-34301-0NE	*エンフ*レム, "SUZUKI" (フ*ル ー)	1	FOR 0JW	
11-2	68111-34301-0FP	*エンフ*レム, "SUZUKI" (シルハ ー)	1	FOR 13Z	
12-1	68185-33C10-3SL	*チーフ*, カウリング*アンタ*, ライト	1	FOR 0JW	
12-2	68185-33C10-F75	*チーフ*, カウリング*アンタ*, ライト	1	FOR 13Z	
13-1	94408-33C60-0JW	カウリング*アツシ, アンタ*, レフト(ホ ワイト)	1	FOR 3SL	0.3
13-2	94408-33C60-13Z	カウリング*アツシ, アンタ*, レフト(フ ラック)	1	FOR 8RY	
14-1	68111-34301-0NE	*エンフ*レム, "SUZUKI" (フ*ル ー)	1	FOR 0JW	
14-2	68111-34301-0FP	*エンフ*レム, "SUZUKI" (シルハ ー)	1	FOR 13Z	
15-1	68195-33C10-3SL	*チーフ*, カウリング*アンタ*, レフト	1	FOR 0JW	
15-2	68195-33C10-F75	*チーフ*, カウリング*アンタ*, レフト	1	FOR 13Z	
16-1	94498-33C00-0JW	カウリング*, アンタ*, センタ(ホホワイト)	1	FOR 3SL	0.2
16-2	94498-33C00-13Z	カウリング*, アンタ*, センタ(フ*ラッ ク)	1	FOR 8RY	
17	94610-33C00	ウイント*スクリーンセット	1		0.5
18	94631-33C00	*モールチ*インク*, ウイント*スクリー ン	1		
19	68612-33C01	ラヘル, カウリング*	1		
20	68319-10D01	ラヘル, コーシヨ(コ*ールト*)	1		

FIG. 58 (K-4) :
TYPE M 08E
FIG. 59 (K-5) :
TYPE N N67
FIG. 60 (K-6) :
TYPE N 0UL
FIG. 61 (K-7) :
FITTING SET

FIG. 58




FIG. 58 (K-4)

カウリング ホーター (TYPE M 08E)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	94400-33C70-08E	ホーターアツシ, カウリング<フ>ラック	1		0.5
2	68185-05C10-13L	・エムフレム, カウリングアツシ<シルハ>	1		
3	68270-33C20-1GU	・チーフセット, カウリングアツシ	1		
4	94403-33C40-08E	カハアツシ, カウリングサイト, ライト<フ>ラック	1		0.2
5	68681-18D10-J53	・エンフレム, カウリングサイト	1		
6	68685-33C10-1GU	・チーフ, カウリングサイトストライフ, ライト	1		
7	94404-33C40-08E	カハアツシ, カウリングサイト, レフト<フ>ラック	1		0.2
8	68681-18D10-J53	・エンフレム, カウリングサイト	1		
9	68695-33C10-1GU	・チーフ, カウリングサイトストライフ, レフト	1		
10	94407-33C70-08E	カウリングアツシ, アンタ, ライト<フ>ラック	1		0.3
11	68111-34301-13L	・エンフレム, "SUZUKI" (シルハ)	1		
12	68182-33C20-J54	・エンフレム, カウリングアンタ, "SSC"	1		
13	68180-33C10-1GU	・チーフセット, カウリングアンタストライフ, ライト	1		
14	94408-33C70-08E	カウリングアツシ, アンタ, レフト<フ>ラック	1		0.3
15	68111-34301-13L	・エンフレム, "SUZUKI" (シルハ)	1		
16	68182-33C20-J54	・エンフレム, カウリングアンタ, "SSC"	1		
17	68190-33C10-1GU	・チーフセット, カウリングアンタストライフ, レフト	1		
18	94498-33C00-08E	カウリング, アンタ, センタ<フ>ラック	1		0.2
19	94610-33C00	ウイントスクリーンセット	1		0.5
20	94631-33C00	・モルチンク, ウイントスクリーン	1		
21	68612-33C01	ラヘル, カウリング	1		
22	68319-10D01	ラヘル, コーシヨシ<コート>	1		

FIG. 59 (K-5) :
TYPE N N67
FIG. 60 (K-6) :
TYPE N OUL
FIG. 61 (K-7) :
FITTING SET

FIG.59





FIG. 59 (K-5) カウリング ホッテ- (TYPE N N67)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	94400-35D30-0JW	ホッテ-アツシ, カウリング<ホワイト>	1		0.5
2	68271-43400-0FP	・エンフ・レム, ススキ<シルバ->	1		
3	68270-33C40-N71	・チーフセツト, カウリングアツパ	1		
4	94403-33C60-0JW	カハ-アツシ, カウリング<サイト>, ライト<ホワイト>	1		0.2
5	68680-33C30-A9L	・チーフセツト, カウリング<サイト>, ライト	1		
6	94404-33C60-0JW	カハ-アツシ, カウリング<サイト>, レフト<ホワイト>	1		0.2
7	68690-33C30-A9L	・チーフセツト, カウリング<サイト>, レフト	1		
8	94407-35D30-0JW	カウリングアツシ, アンタ, ライト<ホワイト>	1		0.3
9	68180-33C21-N71	・チーフセツト, カウリングアンタ, ライト	1		
10	94408-35D30-0JW	カウリングアツシ, アンタ, レフト<ホワイト>	1		0.3
11	68190-33C21-N71	・チーフセツト, カウリングアンタ, レフト	1		
12	94498-33C10-0MA	カウリング, アンタ<ホワイト>	1		0.2
13	94610-33C00	ウイント<スクリーン>セツト	1		0.5
14	94631-33C01	・モ-ルティ<インク>, ウイント<スクリーン>	1		
15	68612-33C01	ラベル, カウリング	1		
16	68319-10D01	ラベル, コ-シヨシ<コ-ル<ト>>	1		

FIG.60(K-6):
TYPE N OUL
FIG.61(K-7):
FITTING SET

FIG.60



GSX-R400RN

FIG. 60 (K-6)

カウリング ホッチー (TYPE N OUL)

見出番号	品番	品名	使用個数	備考	標準作業時間
1	94400-35D30-0UL	ホッチーアツシ、カウリング<シルハ>	1		0.5
2	68271-43400-16B	・エンフ・レム、スス<シルハ>	1		
3	68270-33C40-D24	・チーフ・セット、カウリングアツハ	1		
4	94403-33C70-0UL	カハ・アツシ、カウリング・サイト、ライト<シルハ>	1		0.2
5	68680-33C40-A9S	・チーフ・セット、カウリング・サイト、ライト	1		
6	94404-33C70-0UL	カハ・アツシ、カウリング・サイト、レフト<シルハ>	1		0.2
7	68690-33C40-A9S	・チーフ・セット、カウリング・サイト、レフト	1		
8	94407-35D11-0UL	カウリングアツシ、アンタ、ライト<シルハ>	1		0.3
9	68111-34301-16B	・エンフ・レム、"SUZUKI"<シルハ>	1		
10	94408-35D11-0UL	カウリングアツシ、アンタ、レフト<シルハ>	1		0.3
11	68111-34301-16B	・エンフ・レム、"SUZUKI"<シルハ>	1		
12	94498-33C10-019	カウリング、アンタ・センタ<フ・ラック>	1		0.2
13	94610-33C00	ウイント・スクリーンセット	1		0.5
14	94631-33C01	・モール・インク、ウイント・スクリーン	1		
15	68612-33C01	ラヘル、カウリング	1		
16	68319-10D01	ラヘル、コーション<コート>	1		

FIG.61(K-7):
FITTING SET


FIG. 61

FIG. 61 (K-7)

カウリング フिटティング セット

標準
作業時間

見出番号	品番	品名	使用個数	備考	
1	94616-22D00	ヒョン・ウイント"スクリーン(4X11)	7		
2	09320-04007	クッション, 4X13X1.0	7		
3	09148-04032	ナット	7		
4	09139-05044	スクリム	6		
5	09161-07009	ワッシャー	6		
6	09139-06027	スクリム, 6X12	2		
7	09161-06021	ワッシャー	2		
8	94570-33C00	クッション, カウリング"サイト"	2		
9	09180-06161	スプーサー	2		
10	08321-21064	ロックワッシャー	2		
11	94472-12C00	スタット", アンタ"カウリング"フィット "インク", ライト	6	TYPE L/M	
12	09161-07009	ワッシャー	6	TYPE L/M	
13	94473-12C00	リチーナ, アンタ"カウリング"フィット "インク", ライト	6	TYPE L/M	
14	94510-33C00	フ"レース, カウリング"	1		0.5
15	01107-08355	ホルト	1		
16	08321-21084	ロックワッシャー	1		
17	08310-12085	ナット	1		
18	01137-08355	ホルト	1		
19	94520-33C00	フ"レース, リヤビ"ミラー	1		0.3
20	01517-06164	ホルト	2		
21	94576-22D00	クッション, リヤビ"ミラー	2		
22	94451-33C10	ハ"イフ", エアインテーク, ライト	1		0.3
23	94453-33C00	ハ"イフ", エアインテーク, リヤ	1		0.4
24	94459-33C00	フ"ラケツ, エアインテークハ"イフ"	1		0.4
25	02142-06206	スクリム	1		



GSX-R400RN

FIG.61




FIG. 61 (K-8) カウリング フイッティング セット

見出番号	品番	品名	使用個数	備考	標準作業時間
26	94454-33C00	シヨイント, エアインテーク, ライト	1		0.4
27	94456-33C00	クツシヨ, エアインテーク	1		
28	94455-33C00	シヨイント, エアインテーク, レフト	1		0.3
29	94452-33C10	ハ* イ*, エアインテーク, レフト	1		0.3
30	94456-33C00	クツシヨ, エアインテーク	2		
31	09139-05032	スクリュ, 5X18	2		
32	09148-05023	ナット	2		
33	09139-06028	スクリュ, 6X20	2		
34	09160-06056	ワッシャ, 6.5X18X1	2		
35	09180-06152	ス*ーサ, 6.4X9X8.5	2		
36	09320-09016	クツシヨ	2		
37	94740-33C00	フ* ラケツト, アンタ* カウリング*	2		
38	09139-06039	スクリュ, 6X16	2		
39	09161-06021	ワッシャ	2		
40	94493-06B00	フ* レース, カウリング* ロアカハ* -, リ	1		
41	09139-06039	スクリュ, 6X16	2		
42	09161-06021	ワッシャ	2		
43	94490-06B00	フ* レース, カウリング* ロアカハ* -	1		
44	09139-05025	スクリュ, 5X14	2		
45	08316-26055	ナット	2		
46	09139-06030	スクリュ, 6X16	1		
47	09161-05010	ワッシャ	2	TYPE N	
48	09139-05044	スクリュ	6	TYPE N	
49	09161-07009	ワッシャ	6	TYPE N	